

AIR HAMMER

**AIR
HAMMER**

AUTHENTIC POWER 105

AIR HAMMER



SC-331C

AIR HAMMER ROUND SHANK

SC-341C

AIR HAMMER HEX SHANK

LOW VIBRATION AIR HAMMER

SC-4 chisel kit is provided along with the tool.
Air inlet : 1/4"

10 pieces in one carton



- Vibration-reduced grip
- Reduce vibration by controlling air passage



SC-332C

AIR HAMMER ROUND SHANK
AIR HAMMER HEX SHANK

SC-4 chisel kit is provided along with the tool.
Air inlet : 1/4"

10 pieces in one carton



SC-211C

AIR HAMMER ROUND SHANK
AIR HAMMER HEX SHANK

SC-4 chisel kit is provided along with the tool.
Air inlet : 1/4"

10 pieces in one carton



SC-212C

AIR HAMMER ROUND SHANK
AIR HAMMER HEX SHANK

SC-4 chisel kit is provided along with the tool.
Air inlet : 1/4"

10 pieces in one carton



SN-1032

AIR FLUX CHIPPER

Air inlet : 1/4"



include the chisel

SC-05C[SET]/06C[SET]

- 1pc- Air Hammer (Various Selections)
- 5pcs-Chisel Kits
- 1pc- Spring Retainer

Item No.	Shank	Contents
SC-0517C	Round Shank	SC-211C
SC-0527C	Round Shank	SC-212C
Item No.	Shank	Contents
SC-0617C	Hex Shank	SC-221C
SC-0627C	Hex Shank	SC-222C

5 pieces in one carton



SC-33C/34C

NEEDLE SCALER ADAPTOR FOR AIR HAMMER TOOLS USE
ROUND / HEX

19pcs 3mmx180mm

Item No.	Shank	Contents
SC-33C	Round Shank	SC-211
SC-34C	Hex Shank	SC-221

20 pieces in one carton




● SC-33C - / Round ● SC-34C - / Hex



SN-9101/9103 SN-9201/9203

Chisel For SN-31/SC-32 SERIES



	Shank	Chuck Size	Stroke Length	Blow Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level
		inch(mm)	mm	bpm	CFM (L/min)	PSI (bar)	inch (mm)	LBS	kg	inch	dBA	m/s ²
	● ● ●			bpm								
SC-211C	●	0.401(10.2)	67	3200	4.0(113)	90(6.3)	6-7/8"(175)	3.7	1.7	3/8"	98.0	12.3
SC-221C	●	0.393(10)	67	3200	4.0(113)	90(6.3)	6-7/8"(175)	3.7	1.7	3/8"	98.0	12.3
SC-212C	●	0.401(10.2)	89	2200	4.0(113)	90(6.3)	8-7/8"(225)	4.4	2.0	3/8"	94.7	13.2
SC-222C	●	0.393(10)	89	2200	4.0(113)	90(6.3)	8-7/8"(225)	4.4	2.0	3/8"	94.7	13.2
SC-331C	●	0.401(10.2)	71	3000	7.8(113)	90(6.3)	7-31/64"(190)	3.7	1.7	3/8"	92.0	9.5
SC-332C	●	0.401(10.2)	92	2200	8.2(232)	90(6.3)	8-63/64"(228)	4.4	2.0	3/8"	94.0	10.6
SC-341C	●	0.401(10.2)	71	3000	4.0(113)	90(6.3)	8-7/8"(190)	4.4	2.0	3/8"	94.7	10.6
SC-342C	●	0.393(10)	92	2200	4.0(113)	90(6.3)	8-63/64"(228)	4.4	2.0	3/8"	94.7	10.6
SN-1032	■	0.51(13)	33	4000	4.23(120)	90(6.3)	11-1/2"(290)	2.9	1.33	3/8"	91.0	14.5

AIR HAMMER



SN-3111C/3112C
SN-3113C/3114C

AIR CHIPPING HAMMER

Round Shank

SN-3121C/3122C
SN-3123C/3124C

AIR CHIPPING HAMMER

Hex Shank



include the chisel



SN-3212C/3213C
SN-3214C

AIR CHIPPING HAMMER

Round Shank

SN-3222C/3223C
SN-3224C

AIR CHIPPING HAMMER

Hex Shank



include the chisel



SN-1268

AIR NEEDLE SCALER

Air inlet : 1/4"

10 pieces in one carton



SN-1288

AIR NEEDLE SCALER

Air inlet : 1/4"

10 pieces in one carton



SN-1368

AIR NEEDLE SCALER

Air inlet : 1/4"

10 pieces in one carton



- Strengthened internal parts to raise lifespan
- Strengthened front casing mechanism, not tend to wear out
- Quick accessory change for needles
- Adjust spring easily and effortlessly

50%
longer
lifetime

10%
more
Powerful



SN-2124

AIR PISTOL GRIP NEEDLE SCALER
Air inlet : 1/4"



10 pieces in one carton



SN-2128

AIR PISTOL GRIP NEEDLE SCALER
Air inlet : 1/4"



10 pieces in one carton



SN-2110

AIR PISTOL GRIP NEEDLE SCALER
Air inlet : 1/4"



10 pieces in one carton

	Shank	Chuck Size	Stroke Length	Blow Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level
		inch(mm)	mm	bpm	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s ²
	● ● ●			bpm								
SN-3111C	●	0.68(17.2)	75	2500	10.0(283)	90(6.3)	15-1/2"(395)	15.4	7.0	1/2"	115.3	8.0
SN-3121C	●	0.58(14.8)	75	2500	10.0(283)	90(6.3)	15-1/2"(395)	15.4	7.0	1/2"	115.3	8.0
SN-3112C	●	0.68(17.2)	90	2300	20.0(566)	90(6.3)	16"(405)	16.1	7.3	1/2"	114.3	9.4
SN-3122C	●	0.58(14.8)	90	2300	20.0(566)	90(6.3)	16"(405)	16.1	7.3	1/2"	114.3	9.4
SN-3113C	●	0.68(17.2)	127	2000	22.0(622.6)	90(6.3)	17-3/4"(450)	17.6	8.0	1/2"	113.3	4.8
SN-3123C	●	0.58(14.8)	127	2000	22.0(622.6)	90(6.3)	17-3/4"(450)	17.6	8.0	1/2"	113.3	4.8
SN-3114C	●	0.68(17.2)	154	1600	24.0(679.2)	90(6.3)	18-1/2"(470)	18.3	8.3	1/2"	114.1	6.2
SN-3124C	●	0.58(14.8)	154	1600	24.0(679.2)	90(6.3)	18-1/2"(470)	18.3	8.3	1/2"	114.1	6.2
SN-3212C	●	0.68(17.2)	78	2300	20.0(566)	90(6.3)	14-5/8"(373)	17.2	7.8	1/2"	114.3	9.4
SN-3222C	●	0.58(14.8)	78	2300	20.0(566)	90(6.3)	14-5/8"(373)	17.2	7.8	1/2"	114.3	9.4
SN-3213C	●	0.68(17.2)	119	1900	22.0(622.6)	90(6.3)	16-1/2"(419)	18.7	8.5	1/2"	113.3	4.8
SN-3223C	●	0.58(14.8)	119	1900	22.0(622.6)	90(6.3)	16-1/2"(419)	18.7	8.5	1/2"	113.3	4.8
SN-3214C	●	0.68(17.2)	142	1700	24.0(679.2)	90(6.3)	17-1/2"(445)	19.4	8.8	1/2"	114.1	6.2
SN-3224C	●	0.58(14.8)	142	1700	24.0(679.2)	90(6.3)	17-1/2"(445)	19.4	8.8	1/2"	114.1	6.2
	Needle Diameter	Numbers of Needle	Stroke Length	Blow Per Minute	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level
	mm	inch(mm)	mm	bpm	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s ²
				bpm								
SN-1268	3x180	19	28	4600	15(424)	90(6.3)	18-1/8"(460)	6.1	2.80	3/8"	91.0	13.7
SN-1288	3x125	12	32	5500	3(84.96)	90(6.3)	11-3/8"(290)	2.8	1.30	3/8"	86.0	7.6
SN-1368	3x180	19	27	3400	16(453)	90(6.3)	17"(430)	5.9	2.70	3/8"	91.0	13.7
SN-2110	3x180	19	33	3700	15(424)	90(6.3)	13"(330)	6.1	2.80	3/8"	97.0	9.7
SN-2128	3x180	28	28	3500	7.4(198)	90(6.3)	13-9/16"(335)	6.2	2.80	3/8"	100.0	8.1
SN-2124	3x180	24	27	4000	7.4(209)	90(6.3)	13-9/16"(350)	7.9	3.60	3/8"	99.0	14.8