




RC5195

04| Chipping

| Chisel hammers

- 11 mm hex hammers
- 12 mm hex hammers
- 14,7 mm hex hammers

CHISEL HAMMER CHISEL HAMMER SETS




Model Part#
RC5100 8951071022

Model Part#
RC5120 8951171013

Model Part#
RC5160 8951171033

Model	RC5100	
Chisel insert		11 mm/0.433 in.
Piston Stroke / ø		60/19 mm
Blows		3000 min ⁻¹
Weight		1.5 kg
Hose		8 mm
Dimensions axbxc		200x160x39 mm
Air cons. ave.		270 l/min
Air cons.		400 l/min
Air inlet		1/4" IG
Blow energy		6 Joule
Sound LpA		94.8 dB(A)
Vibration		13.2 m/s ²



- Compact chisel hammer with 11 mm hex shank
- Adjustable blow power
- Including retainer spring RC70

Set for car body / metal

Air hammer set hexagonal 11 mm for metal and sheet metal applications in tool box with:

Air hammer model	RC5100
Spring retainer model	RC70
Deriveting chisel model	RC22S
Welding spot splitting chisel model	RC19S
Double blade cutting chisel model	RC60S
Flat chisel model	RC20S
Curve splitting chisel model	RC18S



Model Part#
RC5150 8951171023

Set for stone / concrete

Air hammer set hexagonal 11 mm for stone and concrete applications in tool box with:

Air hammer model	RC5100
Solid retainer model	RC76-1
Pointed chisel 240 mm length model	SS10
Flat chisel 240 x 20 mm model	SS20
Flat chisel 240 x 30 mm model	SS30
Flat chisel 240 x 40 mm model	SS40
Groove chisel 240 mm model	SS50



Set for brake pads / riveting

Air hammer set hexagonal 11 mm for truck brake pad riveting and removal for hollow aluminium or copper rivets in tool box with:

Air hammer model	RC5100
Spring retainer model	RC70
Rivet head 8 mm (6 / 10 mm*) model (*optional sizes)	RC40S-8
Deriveter chisel 8 mm (10 mm*) model	RC41S-8
Counter holder (anvil) model	RC42S-8




CHISEL HAMMER



Model Part#
RC5185 8951000152

Model	RC5185
Chisel insert	11 mm/0.433 in.
Piston Stroke / ø	70/19 mm
Blows	3000 min ⁻¹
Weight	1.7 kg
Hose	8 mm
Dimensions axbxc	179x163x57 mm
Air cons. ave.	250 l/min
Air cons.	372 l/min
Air inlet	1/4" IG
Blow energy	9 Joule
Sound LpA	102 dB(A)
Vibration	8.2 m/s ²

9 joule



- Quick change retainer for fast chisel changes (provided with the tool)
- High resistance throttle & bushing valves
- Teasing trigger
- Aluminum housing
- Back part designed for great handling
- Curved handle with TPR injection on the back part
- Rear exhaust

Model Part#
RC5195 8951000154

Model	RC5195
Piston Stroke / ø	95/19 mm
Blows	2100 min ⁻¹
Weight	2 kg
Hose	8 mm
Dimensions axbxc	223x163x57 mm
Blow energy	12 Joule
Vibration	11.9 m/s ²

12 joule



Model Part#
RC5185K-M 8951000153
RC5195K-M 8951000155

Set for metal

Set with hexagon chisels (11 mm):

- 1 chisel hammer RC5185 or RC5195 with steel retainer
- 1 Universal chisel - 135 x 19 mm RC73
- 1 De-riveting - 140 x 20 mm RC20S
- 1 Spot weld chisel - 140 x 29 mm RC22S
- 1 Curve cutting chisel 1mm thick - 140 mm RC19S
- 1 tool box RC18S

Model Part#
RC5185K-C 8951000208
RC5195K-C 8951000209

Set for stone / concrete

Set with hexagon chisels (11 mm):

- 1 chisel hammer RC5185 or RC5195 with steel retainer
- 1 Pointed chisel - 135 mm RC73
- 1 Flat chisel - 140 x 20 mm SS10K
- 1 Flat chisel - 140 x 30 mm SS20K
- 1 Flat chisel - 140 x 40 mm SS30K
- 1 Flat chisel - 135 x 40 mm SS40K
- 1 tool box

Low Vibration & Powerful

Easy to operate:
 Quick change retainer for fast chisel changes (provided with the tool)

High Effectiveness:
 Back part designed for great handling



High resistance throttle & bushing valves teasing trigger












Comfort & Insulation:
 Curved handle with TPR injection on the back part















RC5185

Model Part#
RC5176 8951171043


Model Part#
RC5305 8951071065

Model	RC5176	
Chisel insert		11 mm/0.433 in.
Piston Stroke / ø		94/19 mm
Blows		2100 min ⁻¹
Weight		2.05 kg
Hose		8 mm
Dimensions axbxc		245x162x39 mm
Air cons. ave.		260 l/min
Air cons.		380 l/min
Air inlet		1/4" IG
Blow energy		9 Joule
Sound LpA		97.3 dB(A)
Vibration		4.5 m/s ²
Set for stone / concrete		

Model	RC5305	
Chisel insert		12 mm/0.472 in.
Piston Stroke / ø		50/20 mm
Blows		3000 min ⁻¹
Weight		2.55 kg
Hose		8 mm
Dimensions axbxc		294x150x44 mm
Air cons. ave.		260 l/min
Air cons.		380 l/min
Air inlet		1/4" IG
Blow energy		6 Joule
Sound LpA		98.8 dB(A)
Vibration		5.5 m/s ²
12 mm hexagonal		



- Hammer with extra long stroke
- Adjustable impacting power, easy to control
- For hexagonal chisels 11 mm
- Including hammer spring RC70














- Small straight hammer for metal or stone for chisels with 12 mm hex shank
- With steel retainer RC76-3

CHISEL HAMMER CHISEL HAMMER SETS




Model Part#
RC5310 8951171053












Model Part#
RC5400 8951071076

Model	RC5310	
Chisel insert		12 mm/0.472 in.
Piston Stroke / ø		50/20 mm
Blows		3000 min ⁻¹
Weight		2.55 kg
Hose		8 mm
Dimensions axbxc		294x150x44 mm
Air cons. ave.		260 l/min
Air cons.		380 l/min
Air inlet		1/4" IG
Blow energy		6 Joule
Sound LpA		98.8 dB(A)
Vibration		7.9 m/s ²


6 joule



- Air hammer set hexagonal 12 mm for stone and concrete applications in tool box with:
- Air hammer model RC5305
- Steel retainer model RC76-3
- Pointed chisel 210 mm length model RC51S
- Flat chisel 210 x 20 mm model RC52S
- Flat chisel 210 x 30 mm model RC53S
- Flat chisel 210 x 40 mm model RC54S

Model	RC5400	
Chisel insert		14.7 mm/0.579 in.
Piston Stroke / ø		76/29 mm
Blows		1700 min ⁻¹
Weight		7.5 kg
Hose		13 mm
Dimensions axbxc		420x175x57 mm
Air cons. ave.		480 l/min
Air cons.		720 l/min
Air inlet		3/8" IG
Blow energy		22 Joule
Sound LpA		99 dB(A)
Vibration		13.8 m/s ²

22 joule



- Large hammer for chisel insert size 14,7 mm hexagonal for heavy duty applications
- Equipped with steel retainer