




RC5620

05| Descaling

- | Needle Scalers
 - Straight scalers
 - Pistol scalers











NEEDLE SCALER



Model Part#
RC5610 8951076001

Model Part#
RC5615 8951076002










Model Part#
RC5620 8951076003

Model	RC5610
Needle capacity	 19 x 3 mm
Blows	 4000 min ⁻¹
Weight	 2.55 kg
Hose	 8 mm
Dimensions axbxc	 468x44 mm
Air cons. ave.	 190 l/min
Air cons.	 280 l/min
Air inlet	 1/4" IG
Sound LpA	 89.5 dB(A)
Vibration	 16.8 m/s ²

Needle set 19 x 3 mm + scraper 20 mm













- Combination tool for two cleaning processes
- Scraping off layers and surfaces with scraper
- Derusting around details with needles
- Incl. scraper and 19x3 mm needles

Model	RC5615
Needle capacity	 12 x 3 mm
Blows	 4000 min ⁻¹
Weight	 1.3 kg
Hose	 8 mm
Dimensions axbxc	 290x35 mm
Air cons. ave.	 120 l/min
Air cons.	 180 l/min
Air inlet	 1/4" IG
Sound LpA	 88.1 dB(A)
Vibration	 11.4 m/s ²

Needle set 12 x 3 mm



- Small, straight needle scaler for wheel rims, frames and work in limited space
- Incl. 12 x 3 mm needles


Model	RC5620
Needle capacity	 28 x 3 mm / 14 x 4 mm
Blows	 4500 min ⁻¹
Weight	 3.6 kg
Hose	 13 mm
Dimensions axbxc	 345x180x61 mm
Air cons. ave.	 200 l/min
Air cons.	 300 l/min
Air inlet	 3/8" IG
Sound LpA	 97.6 dB(A)
Vibration	 13.7 m/s ²

Needle set 19 x 3 and 14 x 4 mm



- Powerful needle scaler for rough removals
- Incl. 14 x 4 mm needles and for large surfaces 28 x 3 mm needles

NEEDLE SCALER



Model **Part#**
RC5625 **8951076004**

Model		RC5625
Needle capacity		29 x 2 mm / 19 x 3 mm
Blows		3000 min ⁻¹
Weight		2.7 kg
Hose		8 mm
Dimensions axbxc		320x175x47 mm
Air cons. ave.		120 l/min
Air cons.		170 l/min
Air inlet		1/4" IG
Sound LpA		94 dB(A)
Vibration		17.7 m/s ²

Needle set 29 x 2 mm and 19 x 3 mm



- To work with small details use 29 x 2 needles
- For rough work 19 x 3 mm needles insulated handle and front exhaust