

0.5 HP SERIES

0.5 HP SERIES

.5HP SERIES



NE-383 NE-483

1/2" & 3/8"

DRIVE AIR
RATCHET WRENCH
Air inlet : 1/4"

10 pieces in one carton



**TWO STEP
TRIGGER**

	Square Drive	Torque Range	Max Torque		Free Speed	Avg. Air Consumption	Air Pressure	Overall Length	Net Weight		Air Hose	Sound Pressure	Vibration Level
	Inch	FT-LB (Nm)	FT-LB	Nm	R.P.M	CFM (L/min)	PSI (bar)	Inch (mm)	LBS	kg	Inch	dBA	m/s²
NE-383	3/8"	10-65(13.5-88)	100	135.6	250	5.0(141)	90(6.3)	10-29/32"(277)	2.82	1.28	3/8"	85	2.0
NE-483	1/2"	10-65(13.5-88)	100	135.6	250	5.0(141)	90(6.3)	10-29/32"(277)	2.82	1.28	3/8"	85	2.0

0.5 HP SERIES



NE-462T 1/2" DRIVE AIR ANGLE IMPACT RATCHET

Air inlet : 1/4" Pin Ciltch Type

10 pieces in one carton



QA-110 A/B

AIR DIE GRINDER

Air inlet : 1/4"

20 pieces in one carton



QA-116 A/B

AIR DIE GRINDER Air inlet : 1/4"

20 pieces in one carton



QA-681 A/B

AIR DIE GRINDER

Air inlet : 1/4"

- Spindle lock design.
- Grease hole
- 0.5 hp motor



QC-213T

3" HEAVY DUTY AIR CUT-OFF TOOL

Note: wheel is supplied with the tool

Available Dimension of inner hold : Ø 10mm

Air inlet : 1/4"

- Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fiberglass etc.

20 pieces in one carton



3" Wheel



QC-234T

4" AIR CORNER CUT-OFF TOOL

Note: wheel is supplied with the tool

Available Dimension of inner hold : Ø 10mm Ø 16mm

Air inlet : 1/4"

6 pieces in one carton



4" Wheel

- Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fiberglass etc.



QC-264

4" AIR CORNER CUT-OFF TOOL

Note: wheel is supplied with the tool

Available Dimension of inner hold : Ø 10mm Ø 16mm

Air inlet : 1/4"

10 pieces in one carton

- Excellent for cutting rusted bolts, nuts, motor exhaust clamps or hangers, sheet metal, fiberglass etc.



4" Wheel



QK-111T

AIR KNIFE

Air inlet : 1/4"

10 pieces in one carton



	Oscillation per min	Avg. Air Consumption CFM (L/min)	Overall Length Inch (mm)	Net Weight LBS(kg)	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QK-111T	20000	5.0(141)	8-3/16" (208)	2.0(0.92)	3/8"	85	3.3

	Belt Size Pad Dia inch(mm)	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Motor HP	Net Weight LBS kg	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QC-213T	3"(75)	22000	5.0(141)	90(6.3)	7-7/8"(200)	0.5	1.8 0.82	3/8"	85.0	3.0
QC-234T	4"(100)	15000	5.0(141)	90(6.3)	13-9/16"(345)	0.5	3.1 1.41	3/8"	85.0	2.2
QC-264	4"(100)	15000	5.0(141)	90(6.3)	9-5/32"(232)	0.5	2.4 1.1	3/8"	85.0	2.2

	Square Drive Inch	Torque Range FT-LB (Nm)	Max Torque FT-LB Nm	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Net Weight LBS kg	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
NE-462T	1/2"	10-65(13.5-88)	100 135	200	5.0(141)	90(6.3)	13-13/32"(340)	4.0 1.83	3/8"	85.0	2.2

	Collet Size A mm	Collet Size B inch	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Motor HP	Net Weight LBS(kg)	Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QA-110	6 & 3	1/4" & 1/8"	22000	5.0(141)	90 (6.3)	7-5/16"(186)	0.5	1.36 0.62	3/8"	85.0	1.1
QA-116	6 & 3	1/4" & 1/8"	22000	5.0(141)	90 (6.3)	13-9/16"(345)	0.5	2.53 1.15	3/8"	85.0	1.8
QA-681	6 & 3	1/4" & 1/8"	20000	5.0(141)	90 (6.3)	7-11/16" (195)	0.5	1.76 0.8	3/8"	85.0	1.8

0.5 HP SERIES



QP-415

AIR ANGLE POLISHER

Air inlet : 1/4"

Spindle Size : 5/16"-24

10 pieces in one carton



QE-935

3/8" Air Straight Drill

With Key Chuck

Air inlet : 1/4"

20 pieces in one carton



2pcs Planet Gear with bearing



QE-936

3/8" AIR STRAIGHT

DRILL

With Key Chuck

20 pieces in one carton



QB-802T

QB-802TU

For USA

AIR ERASER

Air inlet : 1/4"

Spindle Size : 3/8"-24

10 pieces in one carton



QB-812T

QB-812TU

For USA

AIR ERASER

Air inlet : 1/4"

Spindle Size : 3/8"-24

20 pieces in one carton



QT-112T

AIR TYRE BUFFER

Air inlet : 1/4"

20 pieces in one carton



2pcs Planet Gear with bearing



QT-203T QT-303

AIR TYRE BUFFER / Quick change Chuck

Air inlet : 1/4"

10 pieces in one carton



2pcs Planet Gear with bearing



	Chuck Size inch(mm)	Collet Size inch mm	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Motor hp	Net Weight LBS(kg)		Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QT-112T	----	1/4" / 6	4000	5.0 (141)	90(6.3)	8-27/32"(225)	0.5	1.72	0.78	3/8"	85.0	1.2
QT-203T	Hex.7/16"(11.1)	----	4000	5.0 (141)	90(6.3)	8-27/32"(225)	0.5	1.98	0.90	3/8"	85.0	1.6
QT-303	Hex.7/16"(11.1)	----	22000	5.0 (141)	90(6.3)	8-9/16"(217)	0.5	1.74	0.79	3/8"	85.0	1.6

	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Motor HP	Net Weight LBS kg		Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QB-802T	4000	5.0 (141)	90(6.3)	8-5/32"(212)	0.5	3.08	1.40	3/8"	85.0	1.2
QB-812T	4000	5.0 (141)	90(6.3)	8-15/32"(215)	0.5	1.67	0.76	3/8"	85.0	1.2

	Chuck Size inch(mm)	Free Speed R.P.M	Motor hp	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Net Weight LBS kg		Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QE-935	3/8"(10)	4000	0.5	5.0(141)	90(6.3)	9"(230)	1.89	0.86	3/8"	85.0	1.6
QE-936	3/8"(10)	22000	0.5	5.0(141)	90(6.3)	8-9/16"(218)	1.62	0.74	3/8"	85.0	1.2

	Pad Dia inch(mm)	Free Speed R.P.M	Avg. Air Consumption CFM (L/min)	Air Pressure PSI (bar)	Overall Length Inch (mm)	Motor HP	Net Weight LBS(kg)		Air Hose Inch	Sound Pressure dBA	Vibration Level m/s ²
QP-415	5"(127)	2500	5.0(141)	90(6.3)	8-11/32"(211)	0.5	2.5	1.14	3/8"	85.0	1.1