




RC4607

03| Drilling

| Drills

- 6,5 mm drills
- 10 mm drills
- 13 mm drills



Model Part#
RC4105 8951073001


Model Part#
RC4100 8951073000

Model Part#
RC4107 8951073011

Model	RC4105
Drill diam.	6.5 mm
Power	180 W
Speed	3000 rpm
Weight	0.58 kg
Hose	8 mm
Dimensions axbxc	165x160x38 mm
Air cons. ave.	330 l/min
Air cons.	440 l/min
Air inlet	1/4" IG
Sound LpA	71.3 dB(A)
Vibration	3.24 m/s ²
Reverse switch Composite	

Model	RC4100
Drill diam.	10 mm
Power	500 W
Speed	2200 rpm
Weight	0.95 kg
Hose	8 mm
Dimensions axbxc	193x132x42 mm
Air cons. ave.	350 l/min
Air cons.	470 l/min
Air inlet	1/4" IG
Sound LpA	86.7 dB(A)
Vibration	3.19 m/s ²
Only forward	


Model	RC4107
Drill diam.	10 mm
Power	380 W
Speed	2200 rpm
Weight	0.93 kg
Hose	8 mm
Dimensions axbxc	220x100x50 mm
Air cons. ave.	480 l/min
Air cons.	650 l/min
Air inlet	1/4" IG
Sound LpA	81.3 dB(A)
Vibration	3.06 m/s ²
Reverse switch Composite	



- Ergonomic and lightweight drill with 6,5 mm key-chuck
- Insulating composite handle with rubber grip
- Precise to regulate the speed
- Well suited for use with balancers/hose balancers due to its 3 connecting possibilities for compressed air supply




- Handy drill with short design
- Including a RÖHM® - quick chuck up to 10 mm (3/8")



- Ergonomic and lightweight tool with anti-slip rubber patches
- Precise adjustable speed for cautious start-ups
- Silenced
- Well suited for use with balancers/hose balancers due to its 3 connecting possibilities for compressed air supply.
- Equipped with high quality key-less chuck from "RÖHM®"

DRILLS 10 MM



Model Part#
RC4500 8951073021

Model Part#
RC4607 8951073090

Model		RC4500
Drill diam.		10 mm
Power		500 W
Speed		2000 rpm
Weight		1.15 kg
Hose		8 mm
Dimensions axbxc		192x152x42 mm
Air cons. ave.		460 l/min
Air cons.		620 l/min
Air inlet		1/4" IG
Sound LpA		92.7 dB(A)
Vibration		3.16 m/s ²

Reverse switch



- Compact tool with forward/reverse switch on handle
- Equipped with RÖHM®-quick chuck up to 10 mm (3/8").


Model		RC4607
Drill diam.		10 mm
Power		500 W
Speed		2000 rpm
Weight		1.00 kg
Hose		8 mm
Dimensions axbxc		225x40x42 mm
Air cons. ave.		380 l/min
Air cons.		510 l/min
Air inlet		1/4" IG
Sound LpA		81.3 dB(A)
Vibration		3.37 m/s ²

Composite



- High quality drill with double front bearing
- 3-planet-gear
- Down-handle exhaust with muffler
- Equipped with 10 mm (3/8") quality RÖHM®- quick key-less chuck
- Cold-insulating composite handle





Model Part#
RC4650 8951073050

Model Part#
RC4550 8951073031

Model		RC4650
Drill diam.		10 mm
Power		500 W
Speed		1500 rpm
Weight		1.10 kg
Hose		8 mm
Dimensions axbxc		210x42x84 mm
Air cons. ave.		330 l/min
Air cons.		450 l/min
Air inlet		1/4" IG
Sound LpA		89.9 dB(A)
Vibration		3.14 m/s ²
Reverse switch		

Model		RC4550
Drill diam.		13 mm
Power		500 W
Speed		800 rpm
Weight		1.40 kg
Hose		8 mm
Dimensions axbxc		220x150x42 mm
Air cons. ave.		430 l/min
Air cons.		585 l/min
Air inlet		1/4" IG
Sound LpA		91.9 dB(A)
Vibration		4.51 m/s ²
Reverse switch		



- Slim tool with 84 mm height
- With RÖHM® - key chuck up to 10 mm (3/8")

- Reversible 13 mm (1/2") drill
- Double 3-planet-gear
- Double front bearing for tough applications
- With precise RÖHM® - quick key-less chuck
- Detachable side handle

Powerful & precise



Drill chuck with precision

Fast key & key-less chuck from "RÖHM®"

Key chuck (with key 6,5-13 mm)
 up to 6,5 mm 8951011473
 up to 10 mm 8951011451
 up to 13 mm 8951011452
 key 8951011453

Key-less chuck
 up to 10 mm 8951011458
 up to 13 mm 8951011459



Balancers

In order to design an ergonomic and efficient work station, the straight drills often need to be equipped with balancers as well as straight-ended spiral hoses or hose balancers.

(See page 101).



RC4607