




RODAS EM BORRACHA / RUBBER WHEELS / ROUES EN CAOUTCHOUC

BNNS

RODAS EM BORRACHA VULCANIZADA, COR CINZA, NÚCLEO EM POLIAMIDA, COM CUBO LISO

VULCANIZED RUBBER WHEELS, COLOUR GREY, POLYAMID CENTRE WITH PLAIN BEARING

ROUES EN CAOUTCHOUC VULCANISÉ, COULEUR GRISE, CORPS EN POLYAMIDE, AVEC MOYEU LISSE

									
Código/Code	Ref.	mm	mm	mm	mm		Kg	Kg	
10 13 36	BNNS-100	100	25	27	8		60	0,200	




DUREZA - 80 Shore A; HARDNESS - 80 Shore A; DURETÉ - 80 Shore A

BNNA

RODAS EM BORRACHA VULCANIZADA, COR CINZA, NÚCLEO EM POLIAMIDA, COM ROLAMENTO DE ROLOS

VULCANIZED RUBBER WHEELS, COLOUR GREY, POLYAMID CENTRE WITH ROLLER BEARING

ROUES EN CAOUTCHOUC VULCANISÉ, COULEUR GRISE, CORPS EN POLYAMIDE, AVEC ROULEMENT À ROULEAUX



									
Código/Code	Ref.	mm	mm	mm	mm		Kg	Kg	
10 14 51	BNNA-150	150	32	36	12		80	0,580	

DUREZA - 80 Shore A; HARDNESS - 80 Shore A; DURETÉ - 80 Shore A

ANDAIMES / SCAFFOLDING / ECHAFAUDAGE





RODAS EM BORRACHA / RUBBER WHEELS / ROUES EN CAOUTCHOUC




										
Código/Code	Ref.	mm	mm		mm	mm	mm	Kg	Kg	
19 58 98	300/BIST/35-125	125	32		188	45	Ø35x110	100	1,000	

25 F4






										
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	Kg	Kg
15 25 06	25/BIS-32 F4	32	15		43	19	38x38	28x28xØ5	12	0,050
15 25 17	25/BIS-41 F4	41	19		48	23	55x39	43x27xØ5	25	0,080



15 25 09	25/BIS-50 F4	50	21		64	25	55x39	43x27xØ5	35	0,100
----------	--------------	----	----	---	----	----	-------	----------	----	-------

25 F1







									
Código/Code	Ref.	mm	mm		mm	mm		Kg	Kg
15 25 03	25/BIS-32 F1	32	15		45	19	6	12	0,055
15 25 16	25/BIS-41 F1	41	19		52	23	8	25	0,078



15 25 05	25/BIS-50 F1	50	21		65	25	8	35	0,090
----------	--------------	----	----	---	----	----	---	----	-------




30 F4

											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
16 30 27	30/BIS-50 F4/1	50	21		73	25	57x57	43x43xØ6.5		45	0,188



16 30 28	30/BIS-75 F4/1	75	23		101	36	57x57	43x43xØ6.5		60	0,235
----------	----------------	----	----	---	-----	----	-------	------------	--	----	-------




30/T F4

											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
16 30 36	30/BIST-50 F4/1	50	21		73	25	57x57	43x43xØ6.5		45	0,220



16 30 37	30/BIST-75 F4/1	75	23		101	33	57x57	43x43xØ6.5		60	0,305
----------	-----------------	----	----	---	-----	----	-------	------------	--	----	-------



30 F1

											
Código/Code	Ref.	mm	mm		mm	mm				Kg	Kg
16 30 23	30/BIS-50 F1/1	50	21		68	25	10			45	0,130



16 30 24	30/BIS-75 F1/1	75	23		96	36	10			60	0,180
----------	----------------	----	----	---	----	----	----	--	--	----	-------

30/T F1




											
Código/Code	Ref.	mm	mm		mm	mm				Kg	Kg
16 30 32	30/BIST-50 F1/1	50	21		68	25	10			45	0,160



16 30 33	30/BIST-75 F1/1	75	23		96	33	10			60	0,245
----------	-----------------	----	----	---	----	----	----	--	--	----	-------

30 F2





									
Código/Code	Ref.	mm	mm		mm	mm	mm	Kg	Kg
16 30 25	30/BIS-50 F2/1	50	21		68	25	M10x20	45	0,155

16 30 26	30/BIS-75 F2/1	75	23		96	36	M10x20	60	0,265
----------	----------------	----	----	---	----	----	--------	----	-------

30/T F2







									
Código/Code	Ref.	mm	mm		mm	mm	mm	Kg	Kg
16 30 34	30/BIST-50 F2/1	50	21		68	25	M10x20	45	0,185

16 30 35	30/BIST-75 F2/1	75	23		96	33	M10x20	60	0,270
----------	-----------------	----	----	---	----	----	--------	----	-------

30 F5



									
Código/Code	Ref.	mm	mm		mm	mm	mm	Kg	Kg
16 30 29	30/BIS-50 F5/1	50	21		74	25	*Ø10.5x28	45	0,170




* Casquilhos para F5 ver Pág. 87 / Bushes for F5 see page 87 / Douilles pour F5 voir page 87

16 30 30	30/BIS-75 F5/1	75	23		102	36	*Ø10.5x28	60	0,215
----------	----------------	----	----	---	-----	----	-----------	----	-------

* Casquilhos para F5 ver Pág. 87 / Bushes for F5 see page 87 / Douilles pour F5 voir page 87

30/T F5



									
Código/Code	Ref.	mm	mm		mm	mm	mm	Kg	Kg
16 30 38	30/BIST-50 F5/1	50	21		74	25	*Ø10.5x28	45	0,200



* Casquilhos para F5 ver Pág. 87 / Bushes for F5 see page 87 / Douilles pour F5 voir page 87

16 30 39	30/BIST-75 F5/1	75	23		102	33	*Ø10.5x28	60	0,245
----------	-----------------	----	----	---	-----	----	-----------	----	-------

* Casquilhos para F5 ver Pág. 87 / Bushes for F5 see page 87 / Douilles pour F5 voir page 87


88 F1



										
Código/Code	Ref.	mm	mm		mm	mm			Kg	Kg
15 88 05	88/BIS-50 F1	50	19+19		75	28	10		60	0,225





88/T F1



										
Código/Code	Ref.	mm	mm		mm	mm			Kg	Kg
15 88 06	88/BIST-50 F1	50	19+19		75	28	10		60	0,260

110








										
Código/Code	Ref.	mm	mm		mm	mm	mm		Kg	Kg
15 92 07	110/BIS-32	32	15		35	45x20	35xØ5.5		12	0,038







15 92 08	110/BIS-50	50	21		53	67x25	54xØ5.5	50	0,070
----------	------------	----	----	---	----	-------	---------	----	-------

300 F4

											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 58 66	300/BIS-100 F4	100	32		138	48	95x70	75x45xØ6.5	80	0,700	
19 58 67	300/BIS-125 F4	125	32		163	45	95x70	75x45xØ6.5	100	0,780	







301

											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 59 07	301/BIS-100	100	32		138	95x70	75x45xØ6.5	80	0,500		
19 59 08	301/BIS-125	125	32		163	95x70	75x45xØ6.5	100	0,600		






300/T F4

											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 58 91	300/BIST-100 F4	100	32		138	45	95x70	75x45xØ6.5	80	0,820	
19 58 92	300/BIST-125 F4	125	32		163	42	95x70	75x45xØ6.5	100	0,920	





300 F1

											
Código/Code	Ref.	mm	mm		mm	mm				Kg	Kg
19 58 60	300/BIS-100 F1	100	32		131	48	12	80	0,548		
19 58 61	300/BIS-125 F1	125	32		156	45	12	100	0,640		







300/T F1

											
Código/Code	Ref.	mm	mm		mm	mm				Kg	Kg
19 58 85	300/BIST-100 F1	100	32		131	45	12	80	0,675		
19 58 86	300/BIST-125 F1	125	32		156	42	12	100	0,760		








300 F4



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 56 41	300/BA-150 F4	150	32		190	45	95x70	75x45xØ6.5		80	1,260







301



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 57 06	301/BA-150	150	32		190	95x70	75x45xØ6.5			80	1,040




300/T F4



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 56 56	300/BAT-150 F4	150	32		190	45	95x70	75x45xØ6.5		80	1,360

300 F1



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 56 32	300/BA-150 F1	150	32		183	45	12			80	1,100



300/T F1



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 56 47	300/BAT-150 F1	150	32		183	45	12			80	1,180

300/T



											
Código/Code	Ref.	mm	mm		mm	mm	mm	mm	mm	Kg	Kg
19 58 98	300/BIST/35-125	125	32		188	45	Ø35x110			100	1,000