PRUNING TOOLS

Working with plants means working with living things and the users of pruning tools therefore need to be especially careful and respectful of nature. They need perfect cuts as high-quality results and increased productivity are both important. Bahco has developed tools that reduce fatigue and prevent injuries, while providing precise, durable and reliable performance, every time.

Combining functional design, modern aesthetics and decades of experience on five continents, Bahco has developed a range of tools designed to satisfy the specific needs of professionals in numerous, highly demanding pruning applications.

Bahco pruning tools are available in three ranges: Professional, Expert and Tradition.

Chapter Index

SECATEURS 1134-1144 **SNIPS** 1145-1146 **POWER TOOLS** 1147-1150 **LOPPERS** 1151-1157 POLES AND TOP-PRUNERS 1158-1160 **HEDGE SHEARS** 1161-1164 **GRASS SHEARS** 1165-1166 PRUNING KNIVES 1166 **SCISSORS** 1167 PRUNING SAWS 1168-1172 **ACCESSORIES & MAINTENANCE** 1173-1176

PRUNING TOOLS

An extensive range of pruning tools to satisfy the demands of professional users and discerning gardeners.

PROFESSIONAL

- High-quality pruning and cutting tools aimed at professional users within each different area of application
- Developed with the latest materials and technologies for efficient, comfortable and attractive tools
- Spare parts available for all tools



EXPERT

- Assortment of gardening tools for the quality conscious discerning private consumer
- No spare parts available



TRADITION

- Assortment of functionally-designed pruning and cutting tools for professional users and gardeners
- Spare parts are available for selected tools



ICON INDEX - AREAS OF APPLICATION

To help you select the right tools for the job, the range has been has been organized into:







LANDSCAPE















BLADE TECHNOLOGY

BYPASS: For cutting live and green wood

Bypass secateurs and loppers are used for cuts on living plants, where the impact of the cut has to be as small as possible.

The bypass cutting head owes its name to the fact that the cutting blade 'passes-by' the counterblade in a scissor action.

Bahco bypass secateurs slice through the wood requiring less force than a straight cut, causing less compression damage to the wood.

ANVIL: For cutting mature and dry wood

Anvil secateurs and loppers are used where cleanliness of cut is not as important.


The blade of the cutting head is narrower and sharper than that of the bypass.

When cutting mature and dry wood, the blade needs to be forced through the wood with greater pressure. The 'anvil' supports the branch and spreads the pressure to reduce damage.

BYPASS



ANVIL



BLADE TECHNOLOGY

THE GRINDING EDGE

Four separate grinding operations are performed (Drawing A)

- 1. Main bevel, the cutting area of the blade is tapered to a point
- Cavity, a shallow hollow is ground into the inner face of the blade
- Second bevel, the edge is polished to a razor sharp point
- Back bevel, an additional honing angle is ground on the inside edge



Α

Reduced friction and sticking (Drawing B) • Due to the hollow inner face,

 Due to the hollow inner face, the blade only touches the counterblade at the point of cutting. This reduces friction and the risk of sticking, and increases performance



SLICING CUT

How it works

- The sharp upward curve of the blade causes the leading edge to 'slice' as it cuts into the wood
- The off-centered pivot bolt doubles this slicing motion increasing the length of the blade used for cutting

Why it works


Imagine cutting a loaf of bread. No matter how sharp your blade, if you attempt to cut without slicing, the bread is compressed and becomes harder to cut, requiring more pressure, damaging the loaf.

Cutting live wood is similar – it can also be cut more efficiently if a slicing motion is added to the downward pressure.

Results

- Less cutting force required
- Clean cut without damaging the plants
- Less wear and longer blade life
- Fewer broken blades





EVOLVING BEVEL

The evolving bevel technology is the latest improvement of the slicing cut. The unique grinding profile of the blade reinforces the slicing motion and helps it penetrate the wood, especially at the beginning of the cut. This gives the user a

feeling of ease, quickness and efficiency during pruning.

 The evolving bevel technology is exclusive to Bahco and implemented in the P116-SL lopper range





ERGONOMIC SECATEUR



PROFESSIONAL

COMFORT SECURITY

The design of the ERGO™ secateur is the result of five years of scientific research and hundreds of user tests all over the world to help us understand how repetitive, intense movements affect the

HEALTH

EFFICIENCY

human body. The design of the ERGO™ secateurs mean less fatigue at the end of the day and less painful, more productive work.

What makes the PX and PXR ergonomic?

FEATURES

- Vertical and lateral inclinations
- Shape of the handles
- Elastomer coating on upper handles
- Choice of cutting head
- Choice of spring
- Hand measuring system

BENEFITS

- ➤ Keeps the wrist in a neutral position
- → Provides comfort
- ➤ Helps to spread pressure evenly
- ➤ Provides the right cutting head for each job
- → Adapts the secateur to the power of the hand
- → Guides to find the best secateur








Lateral inclination

Compared to a traditional secateur, the inclination to the left (for right-handed secateurs) of the PX and PXR ERGO™ secateurs compensates for the bending of the wrist, and allows the hand to remain in a neutral position, improving pressure capacity to be applied on handles and prevents MSDs (musculoskeletal disorders).






HAND-MEASURING GUIDE FOR PX AND PXR ERGO™ SECATEURS







ERGONOMIC CONCEPT

PX TYPE

Fixed handle ergonomic secateur

Ergonomic design within a modular system, enabling the user to build a secateur that fits the hand perfectly.



PXR TYPE

Rotating handle ergonomic secateur

Same head and palm handle as the PX, but with a comfortable, elastomer-coated, rotating handle. PXR cuts with optimal accuracy and ease.



100% MODULARITY. All spare parts available.

RIGHT-HANDED HANDLES





PX-S Fixed handle Small size



PX-MFixed handle
Medium size



PX-L Fixed handle Large size






PXR-SRotating handle
Small size



PXR-MRotating handle
Medium size

CUTTING HEAD SIZES







Ø 15 mm (5/8")

Ideal for end of season, clearing of vines from training wires and green pruning.

ERGO™ tip: Highly recommended for users who are already suffering from aches and pains in their hand or arm.

N° 2 Medium cutting head (Cut. cap. 20 mm - 3/4")





Ø 20 mm (3/4")

Ideal for most popular training methods in vineyards of up to 10 years of age.

ERGO™ tip: Recommended for users who do not feel any pain yet, but who wish to avoid it.

Nº 3 Large cutting head (Cut. cap. 30 mm - 1 1/4")





Ø 30 mm (1 1/4")

Ideal for most popular training methods in vineyards of up to 10 years old.

ERGO™ tip: Not recommended for users who already suffer from pains in the hand or arm. It is then advisable to use a lopper or a pruning saw.

LEFT-HANDED HANDLES



PX-M2-L Fixed handle Medium size



PXR-M2-LRotating handle
Medium size



Nº 2 Medium cutting head (Cut. cap. 20 mm - 3/4")

CUTTING HEAD SIZE





Ø 20 mm (3/4")





HARVESTING SNIPS

FOUR DIFFERENT CUTTING HEADS

The handy and lightweight Bahco Harvesting Snips meet the needs of different end-users. They have comfortable handles reinforced with fibreglass - all snips are supplied with a lightweight plastic holster and are available in different box quantities.



P129

Same blades as P128

but bent at an 11° angle

P123Long and slim bypass cutting head.



P127Short blades, rounded at the tips for safety, with limited opening.



Locking device safely clipped inside to avoid palm injuries

Lanyard hole

P128Long, slim and straight blades.
Wide opening.




1129

LOPPERS



Lightweight, super-strong aluminium for more strength and comfort, with less fatigue.



DIFFERENT CUTTING HEADS FOR DIFFERENT APPLICATIONS



P114 STYLE

- Narrow cutting head for pruning in confined spaces
- Main areas of application:
 - Viticulture
 - Pomology with hedgelike cultivation (apple, pear)



P116 STYLE

(P116, P19, P16)

- Strongly curved large blade with a deep-hooked counterblade
- Designed for pruning below waist height and near the ground
- Main areas of application:
- Viticulture
- Pomology; including soft fruits
- Landscaping (P19)



The evolving bevel technology is utilized on the P116-SL loppers and reinforces the slicing motion of

the blade - an advantage when cutting thick branches.



P160 STYLE

- Narrow blade combined with deep-hooked, thin counter blade
- Well-balanced loppers designed for pruning above shoulder height
- Main areas of application:
 - Pomology
 - Landscaping



P172 STYLE

- Strong blade with antifriction coating (Xylan®), interchangeable anvil
- Lever-action to facilitate the pruning of mature and dry wood
- Main areas of application:
 - Landscaping
 - Occasionally also used in pomology



HEDGE SHEARS



Lightweight, super-strong aluminium for more strength and comfort with less fatigue.



THREE MAIN TYPES OF SHEAR BLADES

- Large blades with partly serrated edges for hedge trimming on plants with thicker twigs
- Main area of application:
 - Landscape
- Narrow blades with smooth edges for trimming leaves and soft shoots, very clean cut
- Main areas of application:
 - Landscape: topiary
 - Viticulture: leaf pruning
- Wavy blades with smooth edges for pruning hedges and shrubs with a fairly open structure and soft shoots. The waves trap groups of twigs and prevent them from sliding out of the blade
- Main area of application:
 - Landscape








PRUNING SAWS

SAW TEETH PERFORM THREE FUNCTIONS

CUTTING

sharp ground tip.





Teeth edges are chisels that shave wood from between the cuts.









CLEARING

Gullets collect saw dust to deposit it outside the kerf. For this an open and smooth ground surface is needed in the gullet.



TOOTH DESIGN




HARDPOINT

Teeth are heat-treated after grinding. Hardened teeth remain sharp four times longer but cannot be re-sharpened with a file.



JS-TOOTH

45° cutting angle, wide gullets for removal of wood chips, tooth design for very fast and aggressive cutting.




FILEABLE

Teeth can be re-sharpened with Bahco file 4-272.




taper ground blade with non-set



JT-TOOTH

45° cutting angle, triplegrinding, long teeth with narrow gullets, non-set but taper ground blade.



хт-тоотн

Triangular shape, every third tooth is cut off and set to help with the removal of wood chips from the kerf.



STANDARD TOOTH

Triangular shape, all teeth are set, with hardpoints or re-fileable.






PROFESSIONAL

JS BLADES

Very aggressive toothing for an extremely fast and easy cut for green wood and thick branches.



JT BLADES

For clean, fast pruning of live and green wood. Ideal for winter pruning.



XT BLADES

For pruning all varieties of mature and dry wood.



TRADITION





PX



PROFESSIONAL ERGO™ SECATEURS

- Secateurs developed according to the scientific ERGO[™] process
- Shape and size of handles adapted to the size of the hand
- Size of the cutting head adapted to the task to be performed
- Vertical and lateral inclinations of cutting head allow pruning with a straight wrist
- Reduces fatigue and pains and increases comfort and performance
- PX handles made of composite material with soft rubber on upper part
- Available in three sizes: S (small), M (medium) and L (large)
- Three sizes of cutting heads with different cutting capacities available: 1 (15 mm, 1/2"), 2 (20 mm, 3/4") and 3 (30 mm, 1 1/4")
- All cutting heads fit all handles
- PX-M2-L left-handed version

| | 731151 | | | J 9 | † mm | g |
|---------|---------|---|---|------------|------|-----|
| PX-S1 | 8233785 | 2 | S | 1 | 15 | 308 |
| PX-S2 | 8233792 | 2 | S | 2 | 20 | 296 |
| PX-M1 | 8233815 | 2 | M | 1 | 15 | 322 |
| PX-M2 | 8233822 | 2 | M | 2 | 20 | 319 |
| PX-M2-L | 8240714 | 2 | M | 2 | 20 | 319 |
| PX-M3 | 8233839 | 2 | M | 3 | 30 | 347 |
| PX-L2 | 8233853 | 2 | L | 2 | 20 | 331 |
| PX-L3 | 8233860 | 2 | L | 3 | 30 | 470 |

PXR



PROFESSIONAL ERGO™ SECATEURS

- Secateur developed according to the scientific ERGO™ process
- PXR is a PX with a rotating lower handle also covered with soft material
- Rotating handle increases performance, designed for very frequent use
- Available in three sizes: S (small), M (medium) and L (large)
- Three sizes of cutting heads with different cutting capacities available: 1 (15 mm, 1/2"), 2 (20 mm, 3/4") and 3 (30 mm, 1 1/4")
- All cutting heads fit all handles
- PXR-M2-L left-handed version

| | 731151 | | | J. | * * * * * * * * * * * * * * * * * * * | g |
|----------|---------|---|---|----|--|-----|
| PXR-S1 | 8240677 | 2 | S | 1 | 15 | 366 |
| PXR-S2 | 8240684 | 2 | S | 2 | 20 | 377 |
| PXR-M1 | 8233877 | 2 | М | 1 | 15 | 382 |
| PXR-M2 | 8233884 | 2 | М | 2 | 20 | 394 |
| PXR-M2-L | 8240738 | 2 | М | 2 | 20 | 394 |
| PXR-M3 | 8233891 | 2 | М | 3 | 30 | 407 |
| PXR-L2 | 8233914 | 2 | L | 2 | 20 | 395 |





R801P-R804P



ERGO™ SECATEUR SPARE PARTS

- Pre-assembled cutting head for the ERGO[™] secateurs PX and PXR
- Supplied with 4 handle screws and inserts (R902P)

| | 731151 | | | Joj | g |
|-------|---------|---|--------------|-----|-----|
| R801P | 8234126 | 1 | PX & PXR | 1 | 126 |
| R802P | 8234133 | 1 | PX & PXR | 2 | 129 |
| R803P | 8234140 | 1 | PX & PXR | 3 | 139 |
| R804P | 8240806 | 1 | PX-L & PXR-L | 2 | 131 |

R211P/R300P/R500P/R600P

ERGO™ SECATEUR SPARE PARTS



■ Spare cutting blades for the ERGO[™] secateurs

| | 731151 | | | g |
|--------------|---------|----|----------------------------|------|
| R211P | 8234027 | 1 | PX/ PXR N° 2, P1-20, P2-20 | 60 |
| R211P-BULK80 | 8252212 | 80 | PX/ PXR N° 2, P1-20, P2-20 | 4800 |
| R300P | 8234034 | 1 | PX/ PXR N° 1 | 52 |
| R500P | 8234041 | 1 | PX/ PXR N° 3 | 65 |
| R600P | 8240783 | 1 | PX-M2-L & PXR-M2-L | 60 |

R303P-R603P



ERGO™ SECATEUR SPARE PARTS

■ Spare counter blade for the ERGO™ secateurs

| | 731151 | | | g |
|-------|---------|---|-------------------------------------|----|
| R303P | 8234157 | 1 | PX-S1, PX-M1, PX-L1, PXR-M1, PXR-L1 | 63 |
| R403P | 8234164 | 1 | PX-S2, PX-M2, PX-L2, PXR-M2, PXR-L2 | 66 |
| R503P | 8234171 | 1 | PX-S3, PX-M3, PX-L3, PXR-M3, PXR-L3 | 72 |
| R603P | 8240790 | 1 | PX-M2-L, PXR-M2-L | 66 |



R811P-RT824P





ERGO™ SECATEUR SPARE PARTS

- Secateur handle developed according to the scientific ERGO™ process
- Spare pair of handles for the ERGO[™] secateurs PX and PXR
- Supplied with buffer and medium-strength spring

| | 731151 | | | a |
|--------|---------|---|----------|-----|
| R811P | 8234058 | 1 | PX-S | 115 |
| R812P | 8234065 | 1 | PX-M | 122 |
| R813P | 8234072 | 1 | PX-L | 130 |
| R815P | 8240752 | 1 | PX-M2-L | 122 |
| RT821P | 8242237 | 1 | PXR-S | 202 |
| RT822P | 8234102 | 1 | PXR-M | 203 |
| RT823P | 8234119 | 1 | PXR-L | 210 |
| RT824P | 8240776 | 1 | PXR-M2-L | 203 |

R900P



ERGO™ SECATEUR SPARE PARTS

■ Spare centre bolt for the ERGO[™] secateurs

| | 731151 | | | g |
|-------|---------|---|----------|----|
| R900P | 8234188 | 1 | PX & PXR | 30 |

R901P



ERGO™ SECATEUR SPARE PARTS

■ Spare centre bolt locking system for the ERGO™ secateurs

| | 731151 | | | g |
|-------|---------|---|----------|----|
| R901P | 8234195 | 1 | PX & PXR | 13 |

R902P



ERGO™ SECATEUR SPARE PARTS

- Set with four spare handle screws with inserts
- To join cutting head and handles of the ERGO™ secateurs PX and PXR

| | 731151 | | | g |
|-------|---------|---|----------|----|
| R902P | 8234201 | 1 | PX & PXR | 27 |





R903P/R1269P



ERGO™ SECATEUR SPARE PARTS

- Two spare buffers for all ERGO[™] secateurs, P1, P2 and P64 rose secateurs
- R1269P-BULK50 contains 50 buffers

| | 731151 | | | g |
|---------------|---------|----|------------------------|-----|
| R903P | 8234218 | 1 | PX & PXR, P1 & P2, P64 | 15 |
| R1269P-BULK50 | 8240820 | 50 | PX & PXR, P1 & P2, P64 | 486 |

R904P



ERGO™ SECATEUR SPARE PARTS

■ Spare locking device for the ERGO[™] secateurs

| | 731151 | | | g |
|-------|---------|---|----------|----|
| R904P | 8234225 | 1 | PX & PXR | 15 |

R905P-R907P



ERGO™ SECATEUR SPARE PARTS

- Pack of two spare springs for the ERGO[™] secateurs and P64
- Strength: R905P low - R906P medium - R907P high

| | 731151 | | | g |
|--------------|---------|----|---------------|-----|
| R905P | 8234232 | 1 | PX & PXR, P64 | 20 |
| R905P-BULK50 | 8252250 | 50 | PX & PXR, P64 | 164 |
| R906P | 8234249 | 1 | PX & PXR | 20 |
| R906P-BULK50 | 8252267 | 50 | PX & PXR | 181 |
| R907P | 8234256 | 1 | PX & PXR | 20 |

PG-S/M/L



EXPERT SECATEUR

- Secateurs developed according to the scientific ERGO™ process
- Designed for all pruning work in the home garden
- Horizontal and vertical inclination of the cutting head allow the natural alignment of hand and forearm to preserve tendons and nerves from strain
- Xylan[®] coated blade for easy cutting and soft-grip on upper handle for more comfort
- Narrow cutting head for easy reach
- Handles available in 3 sizes (S, M, L)
- No spare parts available

| | 731151 | | | J 9 | † of mm | <mark>← L</mark> | g |
|---------|---------|---|---|------------|---------|------------------|-----|
| PG-S1-F | 8327743 | 2 | S | 1 | 15 | 175 | 160 |
| PG-M2-F | 8269715 | 2 | М | 2 | 20 | 200 | 182 |
| PG-L2-F | 8269746 | 2 | L | 2 | 20 | 210 | 185 |





PG-R-M



EXPERT SECATEUR

- Secateurs developed according to the scientific ERGO™ process
- For all pruning work in the home garden
- Medium size (M2) version with rotating lower handle for frequent use
- No spare parts available



PG-03-L



EXPERT SECATEUR

- Secateur especially for left-hand use
- For all pruning work in the home garden
- Xylan® coated blade for rust protection and reduced friction
- Fibreglass reinforced plastic handles
- One-hand locking mechanism
- No spare parts available

| | 731151 | | ↑ mm | L mm | g |
|---------|---------|---|------|---------|-----|
| PG-03-L | 8242855 | 6 | 20 | 200 | 260 |

P108



EXPERT SECATEUR

- Secateur designed for pruning grape vines and fruit trees
- Narrow cutting head for easy reach
- Handles made of composite material with a soft grip on the upper handle for comfort and thermal protection
- One-hand locking mechanism at the cutting head







P5





EXPERT SECATEUR

- Secateur for general pruning
- Robust design with handles with 2-component sleeves for comfortable grip and thermal protection of hands
- Narrow counter blade gives access to inner branches of dense plants
- One-hand locking mechanism at the cutting head

| | 731151 | | ↑ mm | L | g |
|---------|---------|---|------|-----|-----|
| P5-20-F | 8275273 | 2 | 20 | 210 | 307 |
| P5-23-F | 8275280 | 2 | 25 | 230 | 366 |

P3



TRADITION SECATEURS

- Designed for pruning and training of vines
- Large cutting head suitable for general pruning
- Fully hardened steel blade
- Robust design with forged steel handles
- Spare parts available

| | 731151 | | ↑ mm | <mark>← L</mark> | g |
|---------|---------|---|------|------------------|-----|
| P3-20-F | 8275259 | 2 | 20 | 200 | 375 |
| P3-23-F | 8275266 | 2 | 25 | 230 | 440 |

P110



TRADITION SECATEURS

- Designed for pruning grape vines
- Narrow cutting head for easier access
- Fully hardened steel blade
- Stamped and pressed steel handles
- Spare parts available

| | 731151 | | ************************************** | L mm | g |
|-----------|---------|---|--|---------|-----|
| P110-20-F | 8275532 | 2 | 20 | 200 | 315 |
| P110-23-F | 8275549 | 2 | 25 | 230 | 390 |









TRADITION SECATEURS

- Anvil secateur for cutting old, hard and dead wood
- Stamped and double bevelled blade, fully hardened
- Tough aluminium anvil
- Stamped and pressed steel handles with wire clasp at the end
- Spare parts available

| | 731151 | | ************************************** | L mm | g |
|-----------|---------|---|--|------|-----|
| P138-22-F | 8301279 | 6 | 20 | 220 | 275 |

P64





- Light secateur with handles made of composite material for picking roses
- Designed for cut flower production
- Special device on the blade for holding stems after cutting so that flowers do not fall on the ground
- P64-20-BULK12: Display of 12 pcs
- Spring and buffer are available as spare parts



| | 731151 | | † | <mark>← L</mark> | g |
|---------------|---------|----|----|------------------|------|
| P64-20 | 8288174 | 6 | 12 | 210 | 175 |
| P64-20-BULK12 | 8288204 | 12 | 12 | 210 | 2520 |

P121



TRADITION SECATEURS

- Versatile secateur for various cutting purposes
- Narrow cutting head for easier access
- Robust and traditional design
- Handles made of stamped and pressed steel
- Locking mechanism with wire clasp at the end of handle
- No spare parts available

| | 731151 | | † mm | L mm | g |
|-----------|---------|---|------|---------|-----|
| P121-18-F | 8275662 | 6 | 15 | 180 | 225 |
| P121-20-F | 8275631 | 6 | 20 | 200 | 255 |
| P121-23-F | 8275648 | 6 | 25 | 230 | 330 |





P126





TRADITION SECATEURS

- Traditional and robust design for general purpose gardening
- Handles made of stamped and pressed steel
- Locking mechanism with wire clasp at the end of handle
- No spare parts available

| | 731151 | | ************************************** | L mm | g |
|-----------|---------|---|--|---------|-----|
| P126-19-F | 8275297 | 6 | 15 | 190 | 245 |
| P126-22-F | 8275303 | 6 | 20 | 220 | 310 |

PG-10-F



TRADITION SECATEURS

- Designed for leisure gardening work
- Precision ground blade with a slicing cut action for a clean cut in green stems and living wood
- No spare parts available



| | 731151 | | † mm | ← L mm | g |
|---------|---------|---|------|-----------------------|-----|
| PG-10-F | 8275327 | 6 | 20 | 210 | 135 |

PG-12



TRADITION SECATEURS

- Secateur with narrow cutting head for cutting flowers, herbs and shrubs
- Carbon steel blade and lightweight composite handles
- No spare parts available

| | 731151 | | ↑ mm | L | g |
|---------|---------|---|------|-----|-----|
| PG-12-F | 8328122 | 6 | 20 | 210 | 165 |

R221P



TRADITION SECATEUR SPARE PARTS

Easy to replace tough aluminium anvil including rivet

| \bowtie | 731151 | | | g |
|--------------|---------|----|---------|------|
| R221P | 8229412 | 1 | P138-22 | 27 |
| R221P-BULK50 | 8240653 | 50 | P138-22 | 1350 |



R201P/R171P

TRADITION SECATEUR SPARE PARTS



■ Spare cutting blades for P1-22 and P2-22 and left-handed P6 and P7

| | 731151 | | | g |
|--------------|---------|----|--------------|------|
| R201P | 8219536 | 1 | P1-22, P2-22 | 54 |
| R201P-BULK80 | 8225209 | 80 | P1-22, P2-22 | 4320 |
| R171P | 8226534 | 1 | P6-20, P7-20 | 59 |

R112PG-R124PG/R223P

TRADITION SECATEUR SPARE PARTS



■ Spare cutting blade for hand and top-pruners

| | 731151 | | | g |
|--------------|---------|----|---------------------------|------|
| R112PG | 8010058 | 1 | P3-20, P5-20 | 42 |
| R114PG | 8010065 | 1 | P108-20, P110-20 | 40 |
| R122PG | 8010072 | 1 | P3-23, P5-23 | 46 |
| R124PG | 8010089 | 1 | P108-23, P110-23, P34-27A | 48 |
| R223P | 8237554 | 1 | P138-22 | 37 |
| R223P-BULK80 | 8240646 | 80 | P138-22 | 2960 |

R202P/R271P

TRADITION SECATEUR SPARE PARTS



■ Spare counter blades for hand-pruners P1-22, P2-22 and left-handed P6 and P7

| | 731151 | | | a |
|-------|---------|---|--------------|----|
| R202P | 8219550 | 1 | P1-22, P2-22 | 76 |
| R271P | 8226541 | 1 | P6-20, P7-20 | 66 |

R239P/R141P/R142P

TRADITION SECATEUR SPARE PARTS



Complete sets comprising spare centre bolt, nut and washer(s) for hand-pruners

| | 731151 | | | g |
|-------|---------|---|--|----|
| R239P | 8219567 | 1 | P1-20, P1-22, P2-20, P2-22, P6-20, P7-20 | 32 |
| R141P | 8288235 | 1 | P64-20 | 27 |
| R142P | 8010126 | 1 | P34-27A, P3-20, P3-23, P5-20, P5-23, P108-20, P108-23, P110-23 | 35 |





R113PG/R123PG



TRADITION SECATEUR SPARE PARTS

■ Spare counter blade and pin for hand-pruners

| | 731151 | | | g |
|--------|---------|---|------------------|----|
| R113PG | 8044374 | 1 | P108-20, P110-20 | 48 |
| R123PG | 8044381 | 1 | P108-23, P110-23 | 50 |

R341P/R474P




TRADITION SECATEUR SPARE PARTS

Spare closing springs or wire clasps

| | 731151 | | | g |
|-------|---------|---|--|----|
| R341P | 8011529 | 1 | P3-20, P3-23 | 32 |
| R474P | 8011536 | 1 | P5-20, P5-23, P108-20, P108-23, P110-20, P110-23 | 16 |

R438P/R463P



TRADITION SECATEUR SPARE PARTS

Spare springs for one-hand pruners

| | 731151 | | | g |
|--------------|---------|----|---------|------|
| R463P | 8223908 | 1 | P121-23 | 21 |
| R438P | 8229429 | 1 | P138-22 | 27 |
| R438P-BULK50 | 8240660 | 50 | P138-22 | 1350 |

R1069P



TRADITION SECATEUR SPARE PARTS

■ Spare spring and buffer for one-hand pruners

| | 731151 | | | g |
|--------|---------|---|----------------------------|----|
| R1069P | 8219574 | 1 | P1-20, P2-20, P6-20, P7-20 | 20 |



R1068



TRADITION SECATEUR SPARE PARTS

■ Spare spring, buffers and light metal buffer cup for one-hand pruners

| | 731151 | | | g |
|-------|---------|---|--|----|
| R1068 | 8044398 | 1 | P3-20, P3-23, P5-20, P5-23, P108-20, P108-23, P110-20, P110-23 | 32 |

R1080P



TRADITION SECATEUR SPARE PARTS

- Spare part kit for the re-designed secateur P5-20 and P5-23 with 2-component handles
- Contains one spring and a pair of buffers

| | 731151 | | | g |
|--------|---------|---|--------------|----|
| R1080P | 8282479 | 1 | P5-20, P5-23 | 22 |

R1601



TRADITION SECATEUR SPARE PARTS

■ Set of spare handle screws, nuts and closing button with flat spring for one-hand pruners

| | 731151 | | São | g |
|-------|---------|---|---|----|
| R1601 | 8044640 | 1 | P1-20, P1-22, P2-20, P6-20, | 28 |

R478P/R480P



TRADITION SECATEUR SPARE PARTS

■ Locking device with screw and nut for P108 (R478P) and P5 (R480P)

| | 731151 | | | g |
|-------|---------|---|------|----|
| R478P | 8275600 | 1 | P108 | 14 |
| R480P | 8282486 | 1 | P5 | 14 |





P123



SNIPS

- Snip for harvesting grapes and other fruits as well as flowers and some vegetables
- Long and fine bypass cutting head with an opening of 40 mm
- Handles made of fibreglass reinforced material
- Snips in BULK15 & BULK30 are supplied with holster
- Snips in BULK56 are supplied without holster

| | 731151 | | † mm | <mark>← L</mark> | g |
|----------------|---------|----|------|------------------|----|
| P123-19-BULK15 | 8226251 | 15 | 10 | 190 | 87 |
| P123-19-BULK30 | 8218218 | 30 | 10 | 190 | 87 |
| P123-19-BULK56 | 8240202 | 56 | 10 | 190 | 87 |

P127



SNIPS

- Snip for harvesting and florist work
- Can cut thin wires
- Short and robust blade with straight edge and serrated counter blade to avoid hard stems slipping out
- Opening of blades limited to 20 mm
- Supplied with lightweight plastic holster, 30 pcs in a box



| | 731151 | | ₩mm | L mm | g |
|----------------|---------|----|-----|------|----|
| P127-19-BULK30 | 8199333 | 30 | 6 | 170 | 70 |

P128



SNIPS

- Lightweight snips for grape harvesting
- Also recommended for thinning out apple fruit to encourage a better growth
- Long and fine cutting head with a good opening of 35 mm
- Fibreglass reinforced plastic handles
- Supplied with lightweight plastic holster (P128-19-BULK30), 30 pcs in a box. P128-19 is supplied on card



| | 731151 | | ₩ mm | L mm | g |
|----------------|---------|----|------|---------|----|
| P128-19 | 8160814 | 6 | 6 | 190 | 85 |
| P128-19-BULK30 | 8172329 | 30 | 6 | 190 | 85 |





P129



SNIPS

- Handy and lightweight grape harvesting snip
- Used for cutting fruit stems and cleaning out fruit bunches
- Long and slim blades are slightly bent (11°) to facilitate access to hidden stems
- Opening of 35 mm. Fibreglass reinforced plastic handles
- Supplied with lightweight plastic holster, 30 pcs in a box

| | 731151 | | ************************************** | L → | g |
|----------------|---------|----|--|-----|----|
| P129-19-BULK30 | 8172336 | 30 | 6 | 190 | 85 |

R1071/R1075



SNIPS SPARE PARTS

■ Spare springs with buffers

| | 731151 | | | g |
|--------------|---------|----|------------------------------------|-----|
| R1071 | 8222918 | 1 | P123-19, P127-19, P128-19, P129-19 | 30 |
| R1075-BULK50 | 8220495 | 50 | P123, P127, P128, P129 | 130 |





9320



PROFESSIONAL ELECTRIC SECATEUR

- Designed for professional users in viticulture, horticulture and forestry
- Secateur driven by an electric motor (90 W)
- Power supplied by rechargeable nickel-metalhydrite batteries (2 x 24 V)
- Servo-progressive cutting program for full control of blade movement
- Comfortable and handy due to its shape and the position of the triggers
- Adjustable back pack for batteries with soft shoulder straps for maximum comfort
- High cutting speed, low energy consumption

| | 731151 | | → mm | L | ι | | (| g |
|------|---------|---|------|-----|------|-------|----------|-----|
| 9320 | 8292126 | 1 | 30 | 320 | 3470 | Ni MH | 3.5 Ah | 945 |

9210





PROFESSIONAL PNEUMATIC SECATEUR

- Powerful but light tool
- Designed for pruning all kinds of fruit trees and for landscaping work
- Body made of acetalic resin (POM)
- Single piston with a spring return
- Cutting head with excellent slicing cut
- Centre bolt locking system
- Special ice-free valve protects the tool against condensation water freezing inside the tool in cold weather
- Connecting thread requires a 1/4" male coupler for the air hose

| | 731151 | | ↑ mm | ← L → | BAR | → I/min → | g |
|------|---------|---|------|------------------|-----|-----------|-----|
| 9210 | 8278182 | 1 | 30 | 255 | 10 | 80 | 700 |

9210-1



PNEUMATIC SECATEUR SPARE PARTS

Cutting blade and rivet for pneumatic secateur 9210

| | 731151 | | | g |
|--------|---------|---|------|----|
| 9210-1 | 8278212 | 1 | 9210 | 82 |





9210-10

PNEUMATIC SECATEUR SPARE PARTS




■ Complete, pre-assembled cutting head for pneumatic secateur 9210 (includes rivet)

| | 731151 | | | a |
|---------|---------|---|------|-----|
| 9210-10 | 8278229 | 1 | 9210 | 212 |

9210-20

PNEUMATIC SECATEUR SPARE PARTS



■ Pack of assorted O'rings for pneumatic secateur 9210

| | 731151 | | | g |
|---------|---------|---|------|----|
| 9210-20 | 8278236 | 1 | 9210 | 28 |

9210-1720100

PNEUMATIC SECATEUR SPARE PARTS



■ Brass sleeve (10 pcs) for pneumatic secateur 9210

| | 731151 | | | a |
|--------------|---------|---|------|------|
| 9210-1720100 | 8295295 | 1 | 9210 | 55.3 |

9210-1230235

PNEUMATIC SECATEUR SPARE PARTS



■ Piston seal for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|-----|
| 9210-1230235 | 8295325 | 1 | 9210 | 6.7 |

9210-1690148

PNEUMATIC SECATEUR SPARE PARTS



■ Piston disc for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|----|
| 9210-1690148 | 8295332 | 1 | 9210 | 22 |




9210-1730107

PNEUMATIC SECATEUR SPARE PARTS

■ Shock absorber for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|----|------|-----|
| 9210-1730107 | 8295349 | 10 | 9210 | 176 |

9210-1640142



PNEUMATIC SECATEUR SPARE PARTS

■ Return spring for pneumatic secateur 9210

| | 731151 | | | a |
|--------------|---------|---|------|------|
| 9210-1640142 | 8295356 | 1 | 9210 | 26.6 |

9210-1700118



PNEUMATIC SECATEUR SPARE PARTS

■ Connecting rod for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|----|
| 9210-1700118 | 8295363 | 1 | 9210 | 41 |

9210-1770106





- Special rivet to join blade and connecting rod, Ø 6 mm
- For pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|----|------|------|
| 9210-1770106 | 8295370 | 40 | 9210 | 1000 |

9210-1230219

PNEUMATIC SECATEUR SPARE PARTS



Dust protection seal for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|-----|
| 9210-1230219 | 8295387 | 1 | 9210 | 8.6 |



POWER TOOLS

9210-1060238



PNEUMATIC SECATEUR

- Self tapping screws, TSP 2.2 x 6.5 for pneumatic secateur 9210
- For fixing front cover 9210-1830137

| | 731151 | | | g |
|--------------|---------|----|------|----|
| 9210-1060238 | 8295394 | 20 | 9210 | 10 |

9210-1830137



PNEUMATIC SECATEUR SPARE PARTS

■ Front cover for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|-----|
| 9210-1830137 | 8295400 | 1 | 9210 | 9.5 |

9210-1710266



PNEUMATIC SECATEUR SPARE PARTS

Secateur body with brass cylinder inside for pneumatic secateur 9210

| | 731151 | | | a |
|--------------|---------|---|------|-----|
| 9210-1710266 | 8295417 | 1 | 9210 | 193 |

9210-1060177



PNEUMATIC SECATEUR SPARE PARTS

■ Screws, TCCE M6 x 20 UNI 5931, for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|---|
| 9210-1060177 | 8295424 | 1 | 9210 | 7 |

9210-1320281

PNEUMATIC SECATEUR SPARE PARTS



■ Hand guard for pneumatic secateur 9210

| | 731151 | | | g |
|--------------|---------|---|------|----|
| 9210-1320281 | 8295431 | 1 | 9210 | 35 |





P114-SL



PROFESSIONAL LOPPERS

- Light lopper designed for pruning soft and green wood mainly in vineyards and orchards
- Narrow cutting head for easy access and quick, precise cuts
- Professional blade material and grinding for highest performance
- Lightweight aluminum handles with in-tube assembled blade and counter blade for easy maintenance

| | 731151 | | ************************************** | L mm | g |
|------------|---------|---|--|------|-----|
| P114-SL-40 | 8301149 | 2 | 30 | 400 | 630 |
| P114-SL-50 | 8301156 | 2 | 30 | 500 | 682 |
| P114-SL-60 | 8301163 | 2 | 30 | 600 | 826 |

P116-SL



PROFESSIONAL LOPPERS

- Light lopper designed for use in vineyards, orchards and for landscaping activities
- Professional blade design with an evolving bevel for an easy cut in tough wood
- Excellent cutting performance in all types of wood
- Lightweight aluminium handles with in-tube assembled blade and counter blade for easy maintenance

| | 731151 | | * mm | L | g |
|------------|---------|---|------|--------------|-----|
| P116-SL-40 | 8301101 | 2 | 30 | 400 | 687 |
| P116-SL-50 | 8301118 | 2 | 30 | 500 | 735 |
| P116-SL-60 | 8301125 | 2 | 30 | 600 | 879 |
| P116-SL-70 | 8301132 | 2 | 30 | 700 | 964 |

P160-SL



PROFESSIONAL LOPPERS

- Special-design orchard lopper, also recommended for landscaping
- Slim, narrow blade combined with hooked counter blade for a powerful but smooth and easy cut
- Forged counter blade to stand the stress of intensive use
- Light aluminium handles with long reach for overhead cutting

| | 731151 | | ₩mm | <mark>L →</mark> | g |
|------------|---------|---|-----|------------------|------|
| P160-SL-60 | 8301170 | 2 | 45 | 600 | 960 |
| P160-SL-75 | 8301187 | 1 | 45 | 750 | 1090 |
| P160-SL-90 | 8301194 | 1 | 45 | 900 | 1160 |





P19



PROFESSIONAL LOPPERS

- Heavy-duty bypass lopper for cutting very thick and strong branches on mature trees and vines
- Long reach, also for overhead cutting
- Cutting head with fully hardenend blade for powerful cuts and smooth finish
- Very comfortable to use due to integrated shock absorbing rubber buffers between the handles
- Aluminium tube handles for easy handling

| | 731151 | | ₩ mm | L mm | g |
|----------|---------|---|------|---------|------|
| P19-80-F | 8275365 | 1 | 50 | 800 | 1790 |

P280-SL



PROFESSIONAL LOPPERS

- Heavy duty bypass lopper with lever action
- Fully hardened steel blades with Xylan® coating for less friction
- Cutting head with sliding lever action for 50% more force and a large cutting capacity of 40 mm
- Lightweight aluminium handles for long reach

| | 731151 | | † mm | L mm | g |
|------------|---------|---|------|------|------|
| P280-SL-80 | 8301330 | 2 | 40 | 800 | 1318 |

P172-SL



PROFESSIONAL LOPPERS

- Heavy duty anvil lopper for cutting hard and dry wood
- Cutting head with sliding lever action for 50% more force and a large cutting capacity of up to 40 mm
- Blade with Xylan® coating to reduce friction
- Lightweight aluminium handles with comfortable grips

| | 731151 | | † of | L mm | g |
|------------|---------|---|------|---------|------|
| P172-SL-85 | 8301200 | 1 | 40 | 850 | 1220 |





PG-18



EXPERT LOPPERS

- Lightweight lopper with aluminium handles
- For pruning trees and shrubs in gardens
- Comfortable 2-component grips and shock absorbing buffers
- Hardened steel blade for a high cutting performance
- Available in two lengths: 60 cm and 75 cm



PG-18-45



EXPERT LOPPERS

- Lightweight lopper with aluminium handles for pruning shrubs and small trees
- Shock absorbing buffers and 2-component handles for added comfort
- Narrow blade with big cutting capacity for a high performance



| | 731151 | | † mm | L mm | g |
|------------|---------|---|------|---------|-----|
| PG-18-45-F | 8299033 | 2 | 40 | 450 | 545 |

PG-19



EXPERT LOPPERS

- Telescopic lopper with handles made of silver aluminium tubes, extendable from 70-90 cm
- For pruning high trees with thick branches
- Blade with slicing cut is made of high grade steel, fully hardened
- Special locking system locks/unlocks with just a quarter-turn
- Comfortable 2-component grips made of orange polypropylene and soft black thermoplastic elastomer







PG-17



EXPERT LOPPERS

- Telescopic anvil lopper for pruning high branches from 70 to 90 cm
- Blade made of high grade steel, fully hardened and with anti-friction coating
- Handles with special one-way locking system, locks/unlocks with just a quarter-turn
- Comfortable 2-component grips

| | 731151 | | ₩ mm | L | g |
|---------|---------|---|------|-----------|------|
| PG-17-F | 8324629 | 2 | 30 | 700 - 900 | 1120 |

P16



TRADITION LOPPERS

- Bypass lopper for pruning and training grape vines and fruit trees
- Strongly curved blade with slicing cut for quick and powerful cuts
- Comfortable to use with soft rubber buffers to prevent fatigue
- Very robust, forged counter blade
- Spare parts available

| | 731151 | | † mm | L | g |
|----------|---------|---|------|-----|------|
| P16-50-F | 8301286 | 2 | 30 | 500 | 935 |
| P16-60-F | 8276461 | 2 | 30 | 600 | 1025 |

P140



TRADITION LOPPERS

- Bypass lopper for pruning trees and shrubs in the home garden
- Curved blade with slicing cut for easy cutting, integrated plastic buffers
- No spare parts available

| | 731151 | | † mm | L mm | g |
|--------|---------|---|------|---------|------|
| P140-F | 8275372 | 2 | 35 | 600 | 1010 |





PG-20



TRADITION LOPPERS

- Bypass lopper with a compact design to prune in difficult-to-reach places
- Oval steel tube handles with comfortable plastic grip and buffers for added comfort in use
- Small cutting head, ideal for pruning ornamental shrubs and rose bushes
- No spare parts available

| | 731151 | | ************************************** | L | g |
|------------|---------|---|--|-----|-----|
| PG-20-F | 8275396 | 2 | 30 | 440 | 665 |
| PG-20-60-F | 8275419 | 2 | 30 | 570 | 780 |

PG-22



TRADITION LOPPERS

- Loppers with a robust cutting head for pruning shrubs and small trees
- Handles made of steels tubes with plastic grips
- Cutting head made of hardened and tempered carbon steel
- No spare parts available



| | 731151 | | † | L mm | g |
|------------|---------------|---|----|------|------|
| PG-22-45-F | 8328351 | 6 | 25 | 450 | 715 |
| PG-22-65-F | 8328153 | 6 | 25 | 650 | 1085 |

R114V-R180V/R16V/R160A/ R172A





Spare cutting blades for loppers

| | 731151 | | | g |
|--------------|---------|----|------------------|------|
| R114V | 8042660 | 1 | P14 | 140 |
| R114V-BULK28 | 8177539 | 28 | P14 | 3920 |
| R16V | 8254513 | 1 | P-SL2, P116-SL | 170 |
| R16V-BULK14 | 8288334 | 14 | P-SL2, P116-SL | 2380 |
| R115V | 8243210 | 1 | P-SL, P114-SL | 145 |
| R115V-BULK14 | 8288341 | 14 | P-SL, P114-SL | 2030 |
| R172A | 8235413 | 1 | P172-85, P172-65 | 158 |
| R380A | 8000066 | 1 | P172-SL-85 | 170 |
| R116VP | 8042721 | 1 | P16-40W | 150 |
| R116V | 8010164 | 1 | P16 | 157 |
| R116V-BULK36 | 8159924 | 36 | P16 | 5652 |
| R119V | 8029487 | 1 | P19-80 | 370 |
| R160A | 8201821 | 1 | P160 | 167 |
| R180V | 8042677 | 1 | P180-70 | 292 |





R214V/R26V/R260A/...



LOPPERS SPARE PARTS

- Spare counter blades for loppers
- *P16 with centre bolt locking system R901P

| | 731151 | | | g |
|--------------|---------|----|----------------|------|
| R214V | 8042745 | 1 | P14 | 155 |
| R214V-BULK28 | 8177553 | 28 | P14 | 4340 |
| R26V | 8254520 | 1 | P-SL2-40/50/60 | 200 |
| R216SL | 8301408 | 1 | P116-SL | 190 |
| R215V | 8243227 | 1 | P-SL-40/45/60 | 142 |
| R214SL | 8301392 | 1 | P114-SL | 155 |
| R260A | 8201814 | 1 | P160 | 233 |
| R716VCB | 8255497 | 1 | P16* | 215 |
| R680V | 8042752 | 1 | P180-70 | 205 |
| R619V | 8029494 | 1 | P19-80 | 390 |

R430V-R516V



LOPPERS SPARE PARTS

- Spare buffers for loppers and hedge shears
- Different grades of hardness available

| | 731151 | | | g |
|--------|---------|---|---|----|
| R430V | 8243265 | 1 | P-SL, P-SL2, P114, P116 - all 40 cm | 18 |
| R440V | 8254544 | 1 | P-SL, P-SL2, P114, P116, P52-SL, P54-SL | 18 |
| R515VS | 8046514 | 1 | P14, P16, P180-70, P19-80, P160-60, P51 | 20 |
| R516V | 8200824 | 1 | P160-75, P160-90, P51H, P280, P51H | 20 |

R372H



LOPPERS SPARE PARTS

Spare anvil with screws for loppers

| | 731151 | | | g |
|-------|---------|---|-----------------------|----|
| R372H | 8235406 | 1 | P172-65 /-85. P172-SL | 39 |





R312V-R318V/R143PV/ R144PV/R146



LOPPERS SPARE PARTS

- Centre bolt kit comprising nut, bolt and washers
- For *P16 loppers with centre bolt locking system R901P

| | 731151 | | | g |
|---------------|---------|----|-----------------------|------|
| R143PV | 8010133 | 1 | P16 | 33 |
| R143PV-BULK50 | 8240837 | 50 | P16 | 1650 |
| R143PVCB | 8255633 | 1 | P16* | 33 |
| R144PV | 8291075 | 1 | P160 | 34 |
| R146VS | 8046538 | 1 | P14, P174, P176-75 | 34 |
| R146VS-BULK50 | 8159955 | 50 | P14, P174, P176-75 | 1700 |
| R166V | 8328085 | 1 | P114-SL, P116-SL | 60 |
| R312V | 8235420 | 1 | P172-65 /-85 | 31 |
| R315V | 8243234 | 1 | P-SL-40 /-45 /-60 | 60 |
| R328V | 8296056 | 1 | P280-(SL) | 32 |
| R318V | 8029500 | 1 | P180-70, P19-80, P172 | 64 |

R415V-R773V



LOPPERS SPARE PARTS

■ Complete set (4) bolt/nut for loppers

| | 731151 | | | g |
|-------|---------|---|-------------------------|----|
| R415V | 8243241 | 1 | P-SL, P-SL2, P114, P116 | 29 |
| R419V | 8042936 | 1 | P180-70 | 52 |
| R519V | 8029517 | 1 | P19-80 | 52 |
| R615V | 8010119 | 1 | P14, P16 | 28 |
| R660V | 8210281 | 1 | P160 | 30 |
| R772V | 8301385 | 1 | P172-SL | 30 |
| R773V | 8324414 | 1 | P280-SL-80 | 32 |

R272H



LOPPERS SPARE PARTS

Hexagonal screw for adjusting the blade to the anvil after wear

| | 731151 | | | g |
|-------|---------|---|-------------------------|----|
| R272H | 8258016 | 1 | P172-65/-85, P172-SL-85 | 15 |



POLES AND TOP-PRUNERS



P34-37



TRADITION TOP-PRUNERS

- Top-pruner with fully hardened, double bevelled blade
- Stamped, fully hardened counter blade
- Sap groove to prevent blade from sticking
- Triple lever action to reduce the amount of effort required
- Adjustable clamp fits Ø 25 mm (1") to 35 mm (1 3/8") poles
- Supplied with a 5 m rope with handle
- A pruning saw blade can be mounted on this top pruner
- Spare parts available

| | 731151 | | ↓ o o o o o o o o o o o o o o o o o o o | g |
|--------|---------|---|---|------|
| P34-37 | 8002787 | 2 | 40 | 1260 |

P34-27A



TRADITION TOP-PRUNERS

- Lightweight top pruner with fully hardened blade
- Stamped, fully hardened counter blade with sap groove to prevent sticking
- Double lever action
- Steel clamp secured with screws
- Fits Ø 25 mm (1") poles
- Supplied with a 5 m rope

| | 731151 | | + 0 o | g |
|-----------|---------|---|-------|-----|
| P34-27A-F | 8275464 | 2 | 30 | 610 |

AP-234



TRADITION TOP-PRUNERS

- Top-pruner for pruning and clearing out
- Clearing out: Hook the cutting head over the branch and pull the pole towards to you
- Pruning: Hook the cutting head on the branch and pull the rope down with the orange handle
 Fully hardened steel blade with slicing action for neat and efficient cut
- Long aluminum pole for difficult to reach branches
- Grip on aluminum tube for added comfort

AP-234-F 8289027 2 30 2200 1520





R127E/R137E



TOP-PRUNERS, SPARE PARTS

- Spare cutting blades for top-pruners
- 30 units per box

| | 731151 | | | g |
|-------|---------|---|--------|----|
| R127E | 8011567 | 1 | P34-27 | 56 |
| R137E | 8011574 | 1 | P34-37 | 56 |

R142P/R337E



TOP-PRUNERS, SPARE PARTS

■ Spare centre bolt and nut R142P for P34-27AR337E for P34-37

| | 731151 | | | g |
|-------|---------|---|---|----|
| R142P | 8010126 | 1 | P34-27A, P3-20, P3-23, P5-20, P5-23, P108-20, P108-23, P110-20, P110-23 | 35 |
| R337E | 8011598 | 1 | P34-37 | 56 |

R124PG



TOP-PRUNERS, SPARE PARTS

Spare cutting blade with pin for hand and top-pruners

| | 731151 | | | g |
|--------|---------|---|---------------------------|----|
| R124PG | 8010089 | 1 | P108-23, P110-23, P34-27A | 48 |

R133PG



TOP-PRUNERS, SPARE PARTS

■ Spare counter blade with pin for top-pruners

| | 731151 | | | g |
|--------|---------|---|---------|----|
| R133PG | 8328252 | 1 | P34-27A | 50 |





R427AE/R427E/R437E

TOP-PRUNERS, SPARE PARTS



Spare spring for top-pruners. *R427E for old model of P34-27A

| | 731151 | | | g |
|--------|---------|---|---------------|----|
| R427AE | 8176068 | 1 | P134, P34-27A | 45 |
| R427E | 8011604 | 1 | *P34-27A | 40 |
| R437E | 8011611 | 1 | P34-37 | 64 |

AP-/FP-







TRADITION POLES

- Extension pole for work in difficult-to-reach areas up to 5 m
- Made of aluminium or fibreglass
- Top diameter 25 mm (1")
- Supplied with a bolt and wing nut
- Fits all top-pruners (P34-37, P34-27A) suitable for all Bahco top-pruners and pole saws (339-6T, 340-6T, 383-6T, 384-6T, 384-5T, 385-6T, 386-6T)

AP-5M: Aluminium pole, 2 piece fibreglass pole AP-3M: Aluminium pole, 1 piece fibreglass pole FP-3M: Fibreglass pole, 1 piece fibreglass pole

| | 731151 | | | g |
|-------|---------|---|-------------|------|
| AP-5M | 8152079 | 1 | 2000 - 5000 | 1600 |
| AP-3M | 8152062 | 1 | 2000 - 3500 | 1000 |
| FP-3M | 8168612 | 1 | 1800 - 3200 | 1000 |

LOCKING



LOCKING-B LOCKING-S



TELESCOPIC EXTENSION POLE, SPARE PARTS

- Spare parts for the locking-system of aluminium telescopic extension poles
- Locking-S for Ø 25 mm extension tube
- Locking-B for the Ø 28 mm extension tube
- R2000AP is the eccentric screw supplied with 2 different adapters for AP-3M and both sections of AP-5M

| | 731151 | | g |
|-----------|---------|---|-----|
| LOCKING-B | 8222406 | 1 | 30 |
| LOCKING-S | 8222390 | 1 | 25 |
| R2000AP | 8301088 | 8 | 101 |






P51-SL



PROFESSIONAL HEDGE SHEARS

- High-quality shears for professional use in parks, topiary gardens and nurseries
- Fully hardened blades
- Partly serrated edge for cutting up to 10 mm (1/2") thick branches
- Lightweight aluminium handles with smooth plastic grips
- Reduced fatigue through superior cutting performance and very comfortable handling



P51H-SL



PROFESSIONAL HEDGE SHEARS

- High-quality shears for professional use in parks, topiary gardens and nurseries
- Fully hardened blades
- Partly serrated edge for cutting up to 10 mm (1/2") thick branches
- Extra long, lightweight aluminium handles for a good reach
- Reduced fatigue through superior cutting performance and very comfortable handling

| | 731151 | | L mm | g |
|---------|---------|---|---------|------|
| P51H-SL | 8301224 | 2 | 730 | 1076 |

P54-SL



PROFESSIONAL HEDGE SHEARS

- High quality shears with short handles (26 cm) for professional use in parks, nurseries and vineyards
- Compact design and angled form, ideal for topiary and leaf pruning
- Slim, straight blades, available in 20 and 25 cm, giving a clean cut especially important when clipping topiary
- Lightweight aluminium handles with comfortable plastic grip and soft buffers reduce fatigue

| | 731151 | | L mm | g |
|-----------|---------|---|---------|-----|
| P54-SL-20 | 8301248 | 2 | 500 | 742 |
| P54-SL-25 | 8301231 | 2 | 550 | 813 |



HEDGE SHEARS

P54H-SL



PROFESSIONAL HEDGE SHEARS

- High quality shears with long handles (36 cm) for professional use in parks, nurseries and vineyards
- Compact design and angled form, ideal for topiary and leaf pruning
- Slim, straight blades, available in 20 and 25 cm, giving a clean cut especially important when clipping topiary
- Lightweight aluminum handles with comfortable plastic grip and soft buffers to reduce fatigue

| | 731151 | | L mm | g |
|------------|---------|---|---------|-----|
| P54H-SL-20 | 8301262 | 2 | 600 | 787 |
| P54H-SL-25 | 8301255 | 2 | 650 | 871 |

PG-56



EXPERT HEDGE SHEARS

- Lightweight hedge shears for trimming all kinds of hedges
- Fully hardened steel blades
- Aluminium handles with 2-component grips
- Shock absorbing buffers for added comfort





PG-57-F





EXPERT HEDGE SHEARS

- Very light telescopic hedge shear, extendable from 790 to 1040 mm for long reach
- Special locking system locks/unlocks with just a quarter-turn
- Fully hardened steel blades
- Handles made of aluminium tubes with 2-component grips
- Rubber buffer for additional comfort







P51



TRADITION HEDGE SHEARS

- Hedge shears for intensive professional use in parks, vineyards and nurseries
- Fully hardened blades
- Partly serrated edge for cutting up to 10 mm (1/2") thick branches
- Superior cutting performance and comfortable handling
- Spare parts available

| | 731151 | | L → | g |
|-------|---------|---|----------------|------|
| P51-F | 8275426 | 2 | 570 | 1085 |

P57-25



TRADITION HEDGE SHEARS

- Traditional hedge shears for all hedge types
- Comfortable wooden handles
- Stamped and fully hardened blade
 P57-25 with straight blade and partly serrated edge to cut branches up to 10 mm (1/2")
 P57-25-W with wavy blade, for cutting soft twigs and stems that tend to slip out when closing the blades
- Spare parts available



| | 731151 | | L mm | g |
|------------|---------|---|---------|------|
| P57-25-F | 8301293 | 4 | 540 | 1020 |
| P57-25-W-F | 8301309 | 4 | 540 | 1020 |

P59



TRADITION HEDGE SHEARS

- Universal hedge shear for all hedge types
- For frequent hedge trimming in gardens
- Simple and reliable design with stamped and fully hardened blade
- No spare parts available





HEDGE SHEARS

PG-51



TRADITION HEDGE SHEARS

- Universal hedge shears for leisure gardening
- Handles made of robust steel tubes
- Stamped fully hardened blades for durability
- Shock absorbing plastic buffers for added comfort


| | 731151 | | L mm | g |
|---------|---------|---|---------|-----|
| PG-51-F | 8275440 | 5 | 510 | 715 |

PG-32



TRADITION HEDGE SHEARS

- Hedge shears with narrow straight blade for hedge trimming
- Blades made of carbon steel and handles made of steel tubes with plastic grips
- No spare parts available



R440V-R516V



SPARE PARTS FOR HEDGE SHEARS

- Spare buffers for professional hedge shears with broad blade:
 - Soft R515VS for shears with short handles
 - □ Hard R516V for shears with long handles
 - Spare buffers for super light hedge shears:
 - □ Soft R440V for shears with short handles
 - □ Hard R444V for shears with long handles

| | 731151 | | | g |
|--------|---------|---|---|----|
| R515VS | 8046514 | 1 | P14, P16, P180-70, P19-80, P160-60, P51 | 20 |
| R516V | 8200824 | 1 | P160-75, P160-90, P51H, P280, P51H | 20 |
| R440V | 8254544 | 1 | P-SL, P-SL2, P114, P116, P52-SL, P54-SL | 18 |
| R444V | 8243340 | 1 | P53-SL, P54H-SL | 18 |

R146VC/R147V



SPARE PARTS FOR HEDGE SHEARS

Complete spare set, comprising nut, bolt and washers, VC includes locking ring

| | 731151 | | | g |
|--------|---------|---|--------------------------|----|
| R146VC | 8046545 | 1 | P51, P51H, P52, P53, P54 | 34 |
| R147V | 8044909 | 1 | P55, P57 | 30 |





GS-180





EXPERT GRASS SHEARS

- Single handed grass shear with stainless steel blades carefully set for self-grinding during use
- Rotating head (90° left & right) for lawn edging
- Swivels easily into different positions to facilitate the cut in certain slopes
- Soft touch and non-slip grip on upper handle for maximum comfort
- Lower handle loop for finger protection
- No spare parts available

| | 731151 | | L mm | g |
|----------|---------|---|---------|-----|
| GS-180-F | 8275488 | 6 | 375 | 317 |

GS-76





TRADITION GRASS SHEARS

- Grass shear with hardened blades, carefully set for self-grinding during use to ensure a good cutting edge
- Precise spring mechanism ensures that the blades are kept aligned in use on grass
- Lever mechanism designed for minimum effort in operating the shears
- Three different cutting head positions to gain access to difficult-to-reach corners and edges which need trimming
- Blades are solely made to cut grass
- No spare parts available

| | 731151 | | L mm | g |
|-------|---------|---|---------|-----|
| GS-76 | 8010782 | 6 | 355 | 435 |

P74



TRADITION GRASS SHEARS

- Lawn shear for cutting in difficult-to-reach places where lawn mowers cannot gain access
- Suitable for cutting in shrubs, borders, around trees etc.
- 90 cm long handles of round steel tubes, fitted with black plastic covers
- Cutting head with horizontal oriented blades, also known as duck's foot
- Stamped, fully hardened, double bevelled blade with black Xylan® coating, straight cutting edge, length 20 cm
- Stamped, flat-edged, fully hardened counter blade, black Xylan® coating
- Plastic buffer to reduce jarring









TRADITION GRASS SHEARS

- Lawn edge shear for trimming borders
- 90 cm long handles of round steel tubes, fitted with black plastic covers
- Stamped, fully hardened, double bevelled blade with black Xylan® coating, straight cutting edge, length 20 cm
- Stamped, flat-edged, fully hardened counter blade, black Xylan® coating
- Plastic buffer to reduce jarring

| | 731151 | | <mark>⊢ L</mark> | 9 |
|-----|---------|---|------------------|------|
| P75 | 8124083 | 1 | 1000 | 1900 |



PROFESSIONAL KNIVES

- High-quality grafting knife for razor-sharp cutting of the graft and bark
- Spatula with round edges for lifting of the bark for the graft insertion
- Extremely sharp folding blade, folding brass spatula and plastic covered for comfortable grip



PRUNING KNIVES



PROFESSIONAL KNIVES

- High-quality pruning knife for pruning of very delicate trees such as peaches
- Also for pruning young trees in the nursery and for thinning out fruit bunches
- Special hook design of the folding blade and plastic covered for comfortable grip

| | 731151 | | L mm | g |
|-----|---------|---|---------|-----|
| P20 | 8009281 | 6 | 200 | 100 |





FS-5



EXPERT SCISSORS

- Floral scissors ideal for pruning delicate plants
- For deadheading and clearing out of dry leaves, for pruning and harvesting herbs and for creating floral decoration
- Short pointed blades made of stainless steel, with micro serration for cutting soft stems of small diameter
- Finger loops with soft touch material



| | 731151 | | L | g |
|------|---------|----|-----|----|
| FS-5 | 8266455 | 10 | 125 | 24 |

FS-8



EXPERT SCISSORS

- Floral scissors designed for cutting soft stems of small diameter, ribbons, any kind of paper, thin cardboard and tissues used in floral decoration
- Also useful for pruning indoor plants, for deadheading in difficult to reach places
- Long straight blades made of stainless steel with micro serration
- Finger loops with soft touch material



| | 731151 | | L → | g |
|------|---------|----|----------------|----|
| FS-8 | 8266462 | 10 | 165 | 47 |

FS-7.5



EXPERT SCISSORS

- Floral scissors with large finger loops
- Compact strong blades with serration, designed for all kinds of flower stems and twigs as well as ribbons, cardboard and even soft wire
- Could also be used for pruning small shrubs on the balcony and indoor plants
- Finger loops with soft touch material







51 -JS





-JS RANGE

- Sword saw especially designed for landscaping
- JS toothing developed for pruning living wood
- Extremely sharp and very aggressive toothing for fastest cut
- Non-set teeth with hardpoint, taper ground blade for perfect clean finish
- Comfortable, non-fatigue 2-component handle
- Available in two different lengths, both equipped with holster
- Replacement blades available

| | 731151 | | mm | T/" | g |
|-----------|---------|---|-----|-----|-----|
| 5124-JS-H | 8219352 | 4 | 240 | 5 | 280 |
| 5128-JS-H | 8219369 | 4 | 280 | 5 | 300 |

396-JS



-JS RANGE

- Foldable pruning saw with JS toothing designed for fruit growing, wine growing and landscaping
- Blade with hardpoint teeth and extra wide gullet for faster cutting in thicker green branches
- Strong 2-component plastic handle with comfortable grip
- Safety lock both in opened and closed position
- Replacement blade available

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|-------|-----|-----|
| 396-JS | 8223250 | 4 | 190 | 7 1/2 | 5 | 200 |

41 -JT



-JS RANGE

- Sword saw especially designed for wine and fruit growing
- JT blade with aggressive teeth designed for winter pruning
- Non-set teeth, refileable, for a smooth cutting surface
- Comfortable, non-fatigue 2-component handle
- Available in two different lengths, both equipped with holster
- Replacement blades available

| | 731151 | | mm | H _{T/"} | g |
|-----------|---------------|---|-----|------------------|-----|
| 4124-JT-H | 8267803 | 4 | 240 | 7 | 340 |
| 4128-JT-H | 8267810 | 4 | 280 | 7 | 356 |





396-JT



-JS RANGE

- Foldable pruning saw designed for occasional use in vineyards and orchards
- JT toothing for pruning living wood in winter with a fast and clean cut
- Strong 2-component plastic handle with comfortable grip
- Safety lock in both open and closed position
- Replacement blade available

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|-------|-----|-----|
| 396-JT | 8168056 | 4 | 190 | 7 1/2 | 7 | 200 |

396-HP



-JS RANGE

- Foldable pruning saw with special patented XT7 toothing for a fast cut in hard or dry wood
- Multipurpose saw with hardpoint teeth, performing well in living wood
- Strong 2-component plastic handle with comfortable grip
- Safety lock both in opened and closed position
- Replacement blade available

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|-------|-----|-----|
| 396-HP | 8152284 | 4 | 190 | 7 1/2 | 7 | 200 |

349



EXPERT PRUNING SAWS

- Pruning saw for home owners
- For pruning ornamental shrubs and fruit trees in the garden
- Anti-friction coating for rust protection and easy cut
- Toothing designed for aggressive cut on pullstroke



| | 731151 | | mm | T/" | g |
|-----|---------|---|-----|-----|-----|
| 349 | 8018924 | 4 | 300 | 7 | 225 |


PG-72



EXPERT PRUNING SAWS

- Folding saw for home owners
- For occasional pruning when a secateur or a lopper is not sufficient
- Anti-friction coating for fast cut in hard and dry wood







4211-/4212-





TRADITIONAL PRUNING SAWS

- Pruning saw for dry or hard wood
- Curved blade with fully ground, set teeth
- Comfortable and strong beech wood handle with a long hook
- Available in 11" and 14" blade lengths
- 4211 with hardpoint teeth, 4212 can be filed
- Replacement blades available

| | 731151 | | mm | inch | T/" | g |
|------------|---------|---|-----|------|-----|-----|
| 4211-11-6T | 8152000 | 4 | 280 | 11 | 6 | 225 |
| 4211-14-6T | 8128883 | 4 | 360 | 14 | 6 | 280 |
| 4212-11-6T | 8002060 | 4 | 280 | 11 | 6 | 225 |
| 4212-14-6T | 8002077 | 4 | 360 | 14 | 6 | 280 |

339-/340-



TRADITION POLE SAWS

- Combination pruning saw with plastic handle
- Can be used handheld or with a 25 mm (1") Ø extension pole
- Fits all poles: AP-2.7M, AP-3M, AP-5M and FP-3M
- 339 with hardpoint teeth
 340 can be filed
- Replacement blades available

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|------|-----|-----|
| 339-6T | 8128371 | 4 | 360 | 14 | 6 | 250 |
| 340-6T | 8002008 | 4 | 360 | 14 | 6 | 250 |

383-/384-





TRADITION POLE SAWS

- Pole pruning saw with steel tube handle
- To be used with a 25 mm (1") Ø extension pole
- Fits all poles: AP-2.7M, AP-3M, AP-5 and FP-3M
- For softer wood like pine and spruce the more aggressive 384-5T (5TPI) is recommended
- 383 with hardpoint teeth 384 can be filed

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|------|-----|-----|
| 383-6T | 8128876 | 4 | 360 | 14 | 6 | 320 |
| 384-6T | 8002039 | 4 | 360 | 14 | 6 | 320 |
| 384-5T | 8159795 | 4 | 360 | 14 | 5 | 320 |





385-/386-





TRADITION POLE SAWS

- Pole pruning saw with steel tube handle
- To be used with 25 mm (1") Ø extension pole
- Fits all poles: AP-2.7M, AP-3M, AP-5M and FP-3M
- Blade tip extended into a hook to prevent the blade from slipping out of the kerf
- Striking knife attached to the blade and handle to cut the bark before sawing through the branch
- Prevents bark stripping
- 386 with hardpoint teeth
 385 can be filed

| | 731151 | | mm | inch | T/" | g |
|--------|---------|---|-----|------|-----|-----|
| 385-6T | 8002053 | 4 | 360 | 14 | 6 | 410 |
| 386-6T | 8152017 | 4 | 360 | 14 | 6 | 410 |

5724-JS/5728-JS

PRUNING SAW BLADE



- Replacement blades for the 51xx pruning saws
- Blades are with hardpoint teeth for long lasting sharpness

| | 731151 | | mm | T/" | a |
|---------|---------|---|-----|-----|----|
| 5724-JS | 8216085 | 1 | 240 | 5 | 60 |
| 5728-JS | 8216092 | 1 | 280 | 5 | 74 |

4724-JT/4728-JT

PRUNING SAW BLADE



- Replacement blades for 41xx pruning saws
- Iron tetroxide coating for rust protection

| | 731151 | | mm | T/" | g |
|---------|---------|---|-----|-----|----|
| 4724-JT | 8265847 | 1 | 240 | 7 | 60 |
| 4728-JT | 8265854 | 1 | 280 | 7 | 74 |

396-JS-BLADE

PRUNING SAW BLADE



- Spare blade for folding saw 396-JS
- Blade with hardpoint teeth and extra wide gullet for faster cutting in thicker green branches





396-JT-BLADE

PRUNING SAW BLADE



- Spare blade for folding saw 396-JT
- JT toothing for pruning living wood in winter with a fast and clean cut

| | 731151 | | mm | inch | T/" | g |
|--------------|---------|---|-----|-------|-----|----|
| 396-JT-BLADE | 8168063 | 1 | 190 | 7 1/2 | 7 | 55 |

396-HP-BLADE

PRUNING SAW BLADE



- Spare blade for folding saw 396-HP
- Multipurpose blade with hardpoint teeth performs well in living wood

| | 731151 | | mm | inch | T/" | g |
|--------------|---------|---|-----|-------|-----|----|
| 396-HP-BLADE | 8156404 | 1 | 190 | 7 1/2 | 7 | 44 |

4400-/4420-

PRUNING SAW BLADE



- Pruning saw replacement blades
- Blades can be used on all 4211-, 4212-, 339- and 340- saws, as well as the top-pruner P34-37
- 4420 with hardpoint teeth4400 can be filed
- BULK: No retail packaging and without blade protector

| | 731151 | | mm | inch | T/" | g |
|--------------|---------|----|-----|------|-----|-----|
| 4400-11 | 8200596 | 10 | 280 | 11 | 6 | 96 |
| 4400-14 | 8200602 | 10 | 360 | 14 | 6 | 140 |
| 4420-11 | 8200619 | 10 | 280 | 11 | 6 | 96 |
| 4420-14 | 8200626 | 10 | 360 | 14 | 6 | 140 |
| 4400-11-BULK | 8200633 | 10 | 280 | 11 | 6 | 94 |
| 4400-14-BULK | 8200640 | 10 | 360 | 14 | 6 | 140 |
| 4420-11-BULK | 8200657 | 10 | 280 | 11 | 6 | 94 |
| 4420-14-BULK | 8200664 | 10 | 360 | 14 | 6 | 140 |





LS-COMBINESS





- Synthetic 2-component grinding stone for small blades
- Has to be moistened with petrol or oil for full efficiency
- Quick removal of damaged metal surfaces with 180 grain/cm² (green side of stone)
- Smooth finish with 400 grain/cm² (grey side)


| | 731151 | | L | g |
|--------------|---------|---|-----|----|
| LS-COMBINESS | 8041366 | 1 | 100 | 75 |

LS-NATURAL

GRINDING STONES AND CARBIDE SHARPENER



- High quality natural grinding stone, grain size 600
- For finishing edges of pruning tools
- This stone has to be used in a wet state in order to sharpen more efficiently
- Especially recommended for small blades requiring to be sharpened precisely



LS-TRIANGLE

GRINDING STONES AND CARBIDE SHARPENER



- Synthetic grinding stone, grain size 220
- To sharpen blades with high precision
- Stone can either be moistened with petrol, oil or water

| | 731151 | | L | √ g |
|-------------|---------|---|-----|----------------|
| LS-TRIANGLE | 8224653 | 1 | 100 | 50 |

LS-CORINDON

GRINDING STONES AND CARBIDE SHARPENER



- Synthetic grinding stone with 320 grain/cm² for professional use to sharpen high performance blades
- For rather small blades like on secateurs
- Very high removal rate
- Stone has to be moistened with petrol or oil for full efficiency





ACCESSORIES & MAINTENANCE



SHARP-X



GRINDING STONES AND CARBIDE SHARPENER

- Professional tungsten-carbide sharpener to re-sharpen all kind of blades
- 2-component handle for comfortable use
- Very secure with two side protections to avoid fingers slipping down to the cutting edge of the blade
- Two carbide edges for easy and long-lasting use

| | 731151 | | L → | g |
|--------------|---------|----|----------------|----|
| SHARP-X | 8264895 | 10 | 100 | 25 |
| SHARP-X-DISP | 8264901 | 1 | 100 | 25 |

LS-PIERRE-FAUX





- Synthetic grinding stone, grain size 180
- To sharpen long blades for tough work such as long-shafted tools, scythes and axes
- Stone has to be moist with petrol or oil for full efficiency

| | 731151 | | L mm | g |
|----------------|---------|---|---------|-----|
| LS-PIERRE-FAUX | 8009038 | 1 | 230 | 210 |

LS-6160-23

GRINDING STONES AND CARBIDE SHARPENER



- Synthetic grinding stone,"Carbor" type, grain size 220
- Produces very fine surfaces on cuttting tools
- Can be used wet or dry but it's not recommended for finishing work on small or new blades

| | 731151 | | L mm | g |
|------------|---------|---|---------|-----|
| LS-6160-23 | 8041304 | 1 | 230 | 170 |

LS-6060-23

GRINDING STONES AND CARBIDE SHARPENER



- High quality natural grinding stone, "Lombarde" type
- For finishing edges of all types of cutting tools
- Stone has to be moist with petrol or oil for full efficiency

| | 731151 | | ← L | g |
|------------|---------|---|----------------|-----|
| LS-6060-23 | 8041311 | 1 | 230 | 300 |





SAP-X



CLEANERS AND LUBRICANT

- Cleaning liquid for pruning blades
- Removes dirt and stains and is a corrosion inhibitor
- Advice:
 - □ Spray on the surface of the blade
 - Leave to react for a few seconds
 - □ Wipe clean and lubricate

| | 731151 | | g |
|-------|---------|---|----|
| SAP-X | 8225728 | 6 | 75 |

RESIN-X



CLEANERS AND LUBRICANT

- Very efficient resin dissolvent
- Designed for quick removal of resins and natural adhesives
- Particularly useful for maintenance of blades
- Tensio-active, cationic, non ionic and contains a corrosion inhibitor
- Advice: Spray on the surface to be cleaned
- Let react for a few seconds
- Wipe clean and lubricate

| |) | 731151 | | g |
|------|-----|---------|---|----|
| RESI | N-X | 8222215 | 6 | 75 |

ECO-LUBE

CLEANERS AND LUBRICANT



- Synthetic lubricant for secateurs
- To keep tools in good shape reducing parts friction and allowing a smoother cutting action
- To be applied to bolts and junctures

| | 731151 | | g |
|-------------|---------|---|-----|
| ECO-LUBE100 | 8249434 | 4 | 128 |

PROF-H





- Strong and natural-coloured leather holster for secateurs
- Two belt slits to fit any belt up to 50 mm width. Top-quality leather, studded and stitched.
 Steel belt clip feature

| | 731151 | | g |
|--------|---------|---|----|
| PROF-H | 8158439 | 2 | 86 |



ACCESSORIES & MAINTENANCE



PROF-K



HOLSTERS

- Strong leather holster for small grinding stones or knives, with belt loop on the back
- Top quality leather, studded and stitched

| | 731151 | | g |
|--------|---------|---|----|
| PROF-K | 8218256 | 1 | 42 |

PROF-PH



HOLSTERS

Top quality plastic holster, which holds the secateur very securely

| | 731151 | | a |
|---------|---------|---|-----|
| PROF-PH | 8243548 | 2 | 100 |

PROF-LOPP



HOLSTERS

- Practical lopper holster primarily for pruning in vineyards
- Additional pocket to carry a sharpening stone, grafting knife or a SHARP-X
- Holster can be strapped to the lower part of the leg or on a belt
- Made of wear-resistant and lightweight nylon material for durability and comfort
- Holster suitable for P16,P14,P-SL2 & P-SL loppers up to 60 cm length

| | 731151 | | g |
|-----------|---------|---|-----|
| PROF-LOPP | 8288549 | 1 | 375 |

PROF-SEC



HOLSTERS

- Practical secateur holster
- Wear-resistant and lightweight nylon material for durability and comfort
- Additional pocket for grinding stone or grafting knife.
 Belt loop. (fits 4750-QRLB-1 & 4750-HDB-1)

| | 731151 | | g |
|----------|---------|---|-----|
| PROF-SEC | 8288532 | 1 | 150 |



